# THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0266825520

(Note: As practicable as possible the JIT report is to be signed in the field by all the participating parties)

A. GENERAL INFORMATION:		
1. Spill incident Number: 82552	<b>.</b> 2.Type	of incident * OIL SPILL
3. Name of Location 20" RUN	MUEKPE - 1	UKPOKU PIPELINE
4. Name of nearest community \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	5. State: <u>R\\</u>	JERS 6. LGA EMOHUA
7. Type of Production facility/Installation	DI PIPELINE 8 A	Asset owner/ District NPE PH I
B. INCIDENT INFORMATION:		
9. Details of incident  a. Date of incident:  b. Start date/time of investigation:  c. Investigation End date:  d. Description of spill point environn	JUNE, 2012.	51 <b>2</b>
Firmed soil	Loose soil	✓ Previously excavated area
□Under water	$\square_{Swampy}$	Exposed pipe surface
☐ Well Plateform (on Water)		$\square_{ m Rig}$
e. Description of leak point (tick as a		_
✓ Drilled hole	□Hack saw cut	Explosive tear,
☐Complete Rupture	☐ Inward dent,	☐ Well head tampering
Failed Weld-on illegal hot tap		☐ Missing Pipeline/Flowline)
☐Crude oil theft (illegal) bunker	ing) point,	☐ Third party tampering with Clamp
☐Third party tampering with val	ve setting,	☐ Third party tampering with flange,
□Corrosion □	☐ Saver-pit over flow,	☐ Surge vessel overflow
Outward dent	☐Flare System/Bund v	vall failure
□Valve Failure	Com unit failure	☐ Cold vent
Relief valve failure	Others (specify)	
f. Incident caused by:		
Third party interference	☐ Operational	□ <sub>Mystery</sub>
g. Spill point coordinates  Measuring unit VL	MID-BE	LT (MINNA)
Northing:		Easting:
	_ , _	ū
105597	/·48	485755.79
1000	•	,
9		
<u></u>		

Page 1 of 9

JOINT INVESTIGATION REPORT FOR INCIDENT NO. 0266 825520

C. RISK ASS	ESSMEN	NT					
10.	Туре	of environment:					
<b>∡</b> La	ind	□ Swamp	□ Water	□ Seas	onal swa	amp	
i.	Type of	f environment to w	vhich oil has sprea	ıd:			
<b>✓</b> La	and	□ Swamp	□ Water	□ Rive	r (identif	fy)	
ii.	Weathe	r condition					
Ra 11. Distan		□Sunny ne nearest sensitive	e habitat				
□ Di □ Bi □ Fi □ Fi □ Oi	rinking wa uilt up are armlands sh Farm/F shing net thers (spec nment me	ater source a Pond		arca	[ [ [ <b>Ni.</b> [	[m, m], [m, [m, m], m]	FARMLAND SLIGHTLY IMPACTED
□ Ot	thers:				_		
13. Any pi	ictures or	video coverage?			[X]	[ N	]
14. Was th	iere any d	isruption to the in	vestigation?		[Y] <b>/</b>	N]	1
_	TAĐITZ	UT) TI 214 MO					d 13th of June 2012 Women who insisted that
SPAC REH THEY WOU D. TYPE/NUM	ABILITA LD PE MBERS C	THE LE	TERIORATING ACCESS TO S, IFANY, FOUN	G COM THE ID WITH	AMU NII SITE - IIN THE	<b>ty s</b> E ari	EA OF SPREAD OF OIL

15. S	Structures /	' Proper	ties
-------	--------------	----------	------

S/N	Type of Structures	Description	Size	Number	Comments
			7		
	THE I	1771114	$\Lambda$	DEV E	I IMPACT
17	OIAT A	THU	111	LM C	T IMPACI

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0266 825520

#### 16. Crops/Economic Trees

S/N	Type of crops	Young	Medium	Matured	Quantity	Comments
	CASSAVA				A FEW	IMPACTED
	STEMS				STEMS	
	31012					
	-					

#### 17. Fish/Nets/Ponds


S/N F	Fish/Nets/Ponds	Description		Quantity/Size	Comments
No	\\\ \= \\\\	THIN	ARE	A CE	MPACT

18. Others (Specify) i.e. Animal Traps

S/N	Others	Description	Quantity/Size	Comments
N	ONE Y	VITHIN ARI	A OF	IMPACT

E. GRAPHIC DESCRIPTION OF LEAK POINT While detail report of the leak point should be contained in the Leak report, overview sketch of the site should be added as an appendix 1)

SECTION (SHOWING PLAN) OF 20" RUMUEKPE - NKPOKU PIPELINE AT IBAA SHOWING POSITION OF DRILLED HOLE.



# THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0266 825520

## F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION 19. Impacted area boundary Coordinates (If more than 12 points, Attach as an appendix 2)

S/N	Northing	Easting
i	105572.80	485795.79
2	105569 77	485 780 - 38
3	105572.88	485764 . 98 .
4	105575.98	485752 66
5	105582.13	485752.67
G	105591.34	485752 70
7	105606.71	485749.66
8	105612.85	485752.75
9	105618.98	485758.93
10	105648.96	485768.17
11	105 612-01	485 774.34
12	105 612 . 78	485780·48
13	105612.77	485783.56

#### G. INCIDENT INFÓRMATION:

20.	Im	nacted	LArea	<b>Details</b>
40.		<b>DUVICE</b>		

Total calculated area of impactO-19HA	<del></del>
Impact within SPDC R.O.W	
Impact outside R.O.W	
21. Volume of oil recovered before completion of JIV (V <sub>rec.J</sub> ):	
Recovered oil V <sub>ne</sub> r	barrels
20. Computation of the residual volume on site	
<ul> <li>a. Computation of volume of pool of free phase oil (on land or confined water body).</li> <li>i. Area (m²) occupied by pool of free phase oil</li></ul>	
ii. Average Depth (m) of pool of free phase oil 0.063	

	- II OLLOIII D	EAFFOI WITH	COMITAIN	O COO	,
JOINT INVE	STIGATION RE	PORT FOR INCI	DENT NO:_	0266 82552	0.
iii. Emulsification	factor:	111			
iv.	Volume o	f pool of free phase	oil.V <sub>pool</sub> :	127.6	barrels
b. Computation	of volume of infil	trated oil in the soi	l (V <sub>inf</sub> ).	•	
		overed by the oil:	,	i 600_	
i	ii Area of the p	ool of free phase o	il in touch w	, ,	
i	iii Average Dep	th (m) below grour	nd surface of	infiltration of oil:	
i	iv Soil type:		_		J 4
3	$P_{e}$ (effective	porosity of the soi	D{3}	<u> </u>	
i	iv. Volume	of infiltrated oil.	Vinf	12.51	barrels
		-	·		
21. Computation i. Total area of		l on open water b er:	ased on sta	indard coloration.	
il. Table of ave	_	on water based on co	L		
			DI MIOII + +		
	Thickness (mm)	Percenta coverag	_	Volume (m3)	
Barely Visible	0.00004	Coverag	Ī	voidine (ms)	
Silvery	0.00008	1 1	<u> </u>		
Slight Color	0.00015		()		
Bright Color	0.0003		-,		
. Dull	0.001	ADD	110	ADIE	
Dark	0.002	MIL	<u> </u>	ADLE	
Black oil	0.1				
Emulsion (30% Oil)	1				_
	Percent Total		100%	Total Volume NIL	bb1
iii.	- AM (\$16 5.50 FIRE	il on open water.	Vwat:	NIL	barrels
22. Calculation of	of evaporated vo	lume:		·	
i. Oil t		_ MEDIUM			
ii. E-Fa	actor: 25%	<u>-</u>			-
iii.	Volume of e	vaporated oil. V eve	p.	50.04	barreis
Oil Type		ctor) for SPDC Crud			
On Type	Days on site	Bonny Light	Bonny Medium		
Period Since Oil	< 1 day	10%	5%		

Evaporation Factors (E-Factor) for SPDC Crude oil					
Oil Type	Days on site	Bonny Light	Bonny Medium		
Period Since Oil Spill	< 1 day	10%	5%		
	1-7 days	25%	15%		
<u></u>	> 7 days	40%	25%		

<sup>\*</sup>If area is not same as the total area of impact, please indicate in the overview sketch \*\* Spill Factor from USCG FOG (2000 Edition)

23. Gross Total Estimated Spilled Volume

50.04+ NIL+

127.6+ 10

#### 25. GENERAL STATUS OF THE SITE

A. Joint investigation of the incident site found that there is no residual impact after the initial response and therefore recommend that the site be closed out 
B. Investigation of the incident site showed that there is residual impact on site requiring further works

#### 26 REPRESENTATIVES

This report was filled and signed on the 16/06/2012 at incident site by joint investigation representatives from

- Host Community
- Department of Petroleum Resources [DPR]:
- National Oil Spill Detection and Response Agency [NOSDRA]:
- State Ministry of Environment [SME]: □
  ✓
- Nigeria Police Force [NPF]:
- . Shell Petroleum Development Company [SPDC]: □

Tick as applicable


<sup>\*</sup>Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site

<sup>\*</sup>Conversion of m3 to barrels is Total volume VT (m3) x 6.29

<sup>\*</sup>Emulsification factor for spill on water to consider is 60% of volume of oil.

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0266 \$25520

27. Appendix 1: Overview sketch of the site



### 21. Appendix 2:TABLE SHOWING ADDITIONAL COORDINATES TAKEN DURING

JIV FOR AREA CALCULATION	MO-BELL	(AVM)	)
--------------------------	---------	-------	---

METERS
_ ^a
5 · 9 <b>B</b>
5.92
<u>92 · 80</u>
2.75
5.80
8.87
579.
·