

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 809775
0225

(Note: As practicable as possible the JIT report is to be signed in the field by all the participating parties)

A. GENERAL INFORMATION:

1. Spill incident Number: 809775 2. Type of incident * OIL SPILL
 3. Name of Location 4" NKALI WELL 10L FLOWLINE
 4. Name of nearest community ODAGWA 2 5. State: RIVERS 6. LGA ETCHE
 7. Type of Production facility/Installation OIL FLOWLINE 8. Asset owner/ District LAND 1

B. INCIDENT INFORMATION:

9. Details of incident

- a. Date of incident: 18TH APRIL 2012
 b. Start date/time of investigation: 26TH APRIL 2012 : 11:40 HOURS
 c. Investigation End date: 26TH APRIL 2012

d. Description of spill point environment

- Firmed soil Loose soil Previously excavated area
 Under water Swampy Exposed pipe surface
 Well Platform (on Water) Rig

e. Description of leak point (tick as applicable);

- Drilled hole Hack saw cut Explosive tear,
 Complete Rupture Inward dent, Well head tampering
 Failed Weld-on illegal hot tap valve, Missing Pipeline/Flowline
 Crude oil theft (illegal) bunkering) point, Third party tampering with Clamp
 Third party tampering with valve setting, Third party tampering with flange,
 Corrosion Saver-pit over flow, Surge vessel overflow
 Outward dent Flare System/Bund wall failure
 Valve Failure com unit failure Cold vent
 Relief valve failure Others (specify) _____

f. Incident caused by:

- Third party interference Operational Mystery _____

g. Spill point coordinates MINNA MID-BELT

Measuring unit (m)	
Northing: <p style="text-align: center;">108247.28</p>	Easting: <p style="text-align: center;">515413.70</p>

*This can be a) Oil spill b) Drilling fluid/Chemical c) siltation d) construction e) Encroachment f) Fire.

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0225 809775

C. RISK ASSESSMENT

10. Type of environment:

- Land Swamp Water Seasonal swamp

i. Type of environment to which oil has spread:

- Land Swamp Water River (identify) _____

ii. Weather condition

- Raining Sunny

11. Distance from the nearest sensitive habitat

- Government reserved and designated protected area [NU ,m]
 Drinking water source [NU ,m]
 Built up area [NU ,m]
 Farmlands [102 ,m]
 Fish Farm/Pond [NU ,m]
 Fishing net [NU ,m]
 Others (specify).

12. Containment measures put in place;

- Booms Trench Dyke

Others: NOT APPLICABLE

13. Any pictures or video coverage?

[N]

14. Was there any disruption to the investigation?

[Y] [N]

If yes give brief description:

NOT APPLICABLE

D. TYPE/NUMBERS OF PROPERTIES, IF ANY, FOUND WITHIN THE AREA OF SPREAD OF OIL

15. Structures / Properties

S/N	Type of Structures	Description	Size	Number	Comments
	<u>NONE WITHIN AREA OF IMPACT</u>				

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: ~~0235~~ 809775

16. Crops/Economic Trees

S/N	Type of crops	Young	Medium	Matured	Quantity	Comments
	CASSAVA	✓	✓		MANY	

17. Fish/Nets/Ponds


S/N	Fish/Nets/Ponds	Description	Quantity/Size	Comments
		NONE WITHIN AREA OF IMPACT		

18. Others (Specify) i.e. Animal Traps

S/N	Others	Description	Quantity/Size	Comments
		NONE WITHIN AREA OF IMPACT		

E. GRAPHIC DESCRIPTION OF LEAK POINT While detail report of the leak point should be contained in the Leak report, overview sketch of the site should be added as an appendix 1)

A SECTION OF 4" NKAH WELL IDL FLOWLINE AT ODARWA 2
SHOWING ILLEGAL BUNKERING POINT INSTALLED AT 10 O'CLOCK POSITION



THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0225 809775

F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

19. Impacted area boundary Coordinates (If more than 12 points, Attach as an appendix 2)

MINNA MID-BELT

S/N	Northing (m)	Easting (m)
WP589	108 247.30	515407.53
WP590	108 259.59	515 407.55
WP591	108 262.62	515422.96
WP592	108 271.75	515466.11
WP593	108 240.99	515484.53
WP594	108 201.17	515428.99
WP595	108 207.36	515407.44
WP596	108 219.68	515395.15
WP597	108 182.71	515444.36

G. INCIDENT INFORMATION:

20. Impacted Area Details

- Total calculated area of impact 0.47 Ha.
- Impact within SPDC R.O.W _____
- Impact outside R.O.W _____

21. Volume of oil recovered before completion of JIV (V_{rec}):

Recovered oil V_{rec}	<u>Nil</u>	barrels
-------------------------	------------	---------

20. Computation of the residual volume on site

a. Computation of volume of pool of free phase oil (on land or confined water body).

- i. Area (m^2) occupied by pool of free phase oil Nil
- ii. Average Depth (m) of pool of free phase oil Nil

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0225 809775

iii. Emulsification factor: NU

iv.

Volume of pool of free phase oil, V_{pool} :	<u>NU</u>	barrels
--	-----------	---------

b. Computation of volume of infiltrated oil in the soil (V_{inf}).

- i Area *(m²) covered by the oil: 4700 m²
- ii Area of the pool of free phase oil in touch with soil: NU
- iii Average Depth (m) below ground surface of infiltration of oil: 0.001
- iv Soil type: CLAY
- v P_c (effective porosity of the soil): 8%

iv.

Volume of infiltrated oil, V_{inf} :	<u>2.36 BARRELS</u>	barrels
--	---------------------	---------

21. Computation of volume of oil on open water based on standard coloration.

- i. Total area of oil on open water: NU
- ii. Table of average depth of oil on water based on coloration**

	Thickness (mm)	Percentage coverage	Volume (m3)
Barely Visible	0.00004	NOT	
Silvery	0.00008		
Slight Color	0.00015		
Bright Color	0.0003		
Dull	0.001	APPLICABLE	
Dark	0.002		
Black oil	0.1		
Emulsion (30% Oil)	1		
Percent Total		100%	Total Volume <u>NU</u> bbl

iii.

Volume of oil on open water, V_{wat} :	<u>NU</u>	barrels
--	-----------	---------

22. Calculation of evaporated volume:

- i. Oil type: BONNY LIGHT
- ii. E-Factor: 40%

iii.

Volume of evaporated oil, V_{evap} :	<u>1.57</u>	barrels
--	-------------	---------

Evaporation Factors (E-Factor) for SPDC Crude oil			
Oil Type	Days on site	Bonny Light	Bonny Medium
Period Since Oil Spill	< 1 day	10%	5%
	1-7 days	25%	15%
	> 7 days	40% ✓	25%

*If area is not same as the total area of impact, please indicate in the overview sketch
 ** Spill Factor from USCG FOG (2000 Edition)

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0225 809775

23. Gross Total Estimated Spilled Volume

$$V_{Est}(bbls) = V_{evap}(bbls) + V_{wat}(bbls) + V_{inf}(bbls) + V_{pool}(bbls) + V_{recJ}(bbls)$$

$$V_{Est}(bbls) = 1.57 + Nil + 2.36 + Nil + Nil = 3.93 \text{ BARRELS}$$

24. Net Total Estimated Spilled Volume

$$V_{Est}(bbls) = V_{evap}(bbls) + 0.6 * V_{wat}(bbls) + V_{inf}(bbls) + V_{pool}(bbls) + V_{recJ}(bbls)$$

$$V_{Est}(bbls) = 1.57 + Nil + 2.36 + Nil + Nil = 3.93 \text{ BARRELS}$$

*Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site

*Conversion of m3 to barrels is Total volume VT (m3) x 6.29

*Emulsification factor for spill on water to consider is 60% of volume of oil.

25. GENERAL STATUS OF THE SITE

- A. Joint investigation of the incident site found that there is no residual impact after the initial response and therefore recommend that the site be closed out
- B. Investigation of the incident site showed that there is residual impact on site requiring further works

26 REPRESENTATIVES

This report was filled and signed on the 22/06/2012 at incident site by joint investigation representatives from

- Host Community
- Department of Petroleum Resources [DPR]:
- National Oil Spill Detection and Response Agency [NOSDRA]:
- State Ministry of Environment [SME]:
- Nigeria Police Force [NPF]:
- Shell Petroleum Development Company [SPDC]:

Tick as applicable

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0225

27. Appendix 1: Overview sketch of the site

Location: 4" NKALI WELL 10 & FLOWLINE AT ODAQWA 2

