

(Note: As practicable as possible the JIT report is to be signed in the field by all the participating parties)

A. GENERAL INFORMATION:		
1. Spill incident Number: 8503	2.Type	of incident * OIL SPILL
3. Name of Location 36" NKI	POKU - 06	ALE PIPELINE
4. Name of nearest community AKPA	JO_ 5. State: <u>R</u>	IVERS 6. LGA ELEME
7. Type of Production facility/Installation £	IL PIPELINE 8.	Asset owner/ District NPE/PH:
B. INCIDENT INFORMATION:		
	UGUST, 2012 8 TH AUGUS AUGUST, 20	ST, 2012
Firmed soil	Loose soil	Previously excavated area
Under water	□Swampy	☐Exposed pipe surface
☐ Well Plateform (on Water)		\square_{Rig}
e. Description of leak point (tick as ap	_	
☐Drilled hole	Hack saw cut	☐Explosive tear,
☐Complete Rupture	☐ Inward dent,	Well head tampering
☐Failed Weld-on illegal hot tap v	alve,	☐ Missing Pipeline/Flowline)
Crude oil theft (illegal) bunkeri	ng) point,	Third party tampering with Clamp
☐Third party tampering with valv	e setting,	☐ Third party tampering with flange,
☐Corrosion	☐ Saver-pit over flow,	☐ Surge vessel overflow
Outward dent	☐Flare System/Bund	wall failure
□Valve Failure	com unit failure	☐ Cold vent
Relief valve failure	Others (specify) F	HILED CLAMP
f. Incident caused by: Third party interference	Operational	□ _{Mystery}
	C C	
g. Spill point coordinates Measuring unit Meters	(MINHA MU	L-BEUT)
Northing:		Easting:
eking = SP1= 93237 mN		517191m€
eKing = SP1= 93237 mN -leaking SP2= 93241 mN		517188mE

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0428 850352

Ç.	RISK ASSESSME	NT					
	10. Type	of environment:					
	Land	□ Swamp	□ Water	☐ Seas	onal swa	mp	
	i. Type o	of environment to	which oil has sp	read:			
	Land	□ Swamp	□ Water	□ Rive	er (identif	y)	-
	ii. Weath	er condition					
	☐ Raining.	Sunny the nearest sensiti	ve habitat				
	Governme Drinking v Built up ar Farmlands Fish Farm Fishing ne Others (sp	ea Pond t ecify).		ed area	[[[[150 [,m] ,m] ,m] ,m] ,m]	
	□ Booms	Trench	Dyke Dyke				
	Others:				_		
	13. Any pictures of	r video coverage?			[Y] /	[N]	
	14. Was there any	disruption to the i	investigation?		[Y]	[N]	
lfy	res give brief descrip	tion:	4				
		T	ADD	211		ARI F	
	110	<u> </u>	1 1 1	<u> </u>	· ()	ا جا لا ١	

D. TYPE/NUMBERS OF PROPERTIES, IF ANY, FOUND WITHIN THE AREA OF SPREAD OF OIL

15. Structures / Properties

Ç.

S/N	Type of Structures	Description	Size	Number	Comments
	ONE	$\lambda / \tau_{\rm b}$	IN A	PEA OF	IMPACT
		A A 1 (1.1.)	114 1	NCA VI	N/I/AC I

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1 0428 850352.

16. Crops/Economic Trees

S/N	Type of crops	Young	Medium	Matured	Quantity	Comments
			4			
$\square N I$		41,77	VOE-V	V.	11101	
	UNE		THE	95	MYAC	
		• • • •				·

17. Fish/Nets/Ponds

S/N	Fish/Nets/Pon	ds	Description	Quantity/Size	Comments
+N+	UKIE -	1	FT TURE	ADEN NE	LADACT
1 4	014F	Λ	1 MIN	THEH UT	1 IMITHUT

18. Others (Specify) i.e. Animal Traps

S/N	Others		Description		Quantity/S	ize	Comments
	.			<i>r</i>			
	1	X V-		0-1	^-	١.	· O · A · T
		TTT	HM /	FR F A	· //-	ΠM	MPALI
110	14=-1	1 4 4	, , , , , , ,	11401		• • •	

E. GRAPHIC DESCRIPTION OF LEAK POINT While detail report of the leak point should be contained in the PLID CO SPLIT SLEEVE Leak report, overview sketch of the site should be added as an appendix 1) FAILED 36" × 54" PLIDCO SPLIT CLAMP SLEEVE CLAMP (WITH DEFECTIVE SEAL). (HON KING) UPPER HALF AT 120' CLOCK POSITION, LOWER HALF AT 6 0' CLOCK POSITION POINT) CLAMP A (SPI) CENTRE SECTION OF 36" NKPOKU - DGALE PIPELINE Page 3 of 9 AKPATO

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED. JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0428 850352

F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

Impacted area boundary	Coordinates (If more than	12 points, Attach as an appendix 2)
MINTALA	(MID-RELLS)	12 points, Attach as an appendix 2)

	MINNA (MID-RECED)	<u> </u>
S/N	Northing	Easting
1.	93237mN	517188mE
2.	93237 m)	517185 mgE
3、	93241 m	517185mE
4.	93271 mN	517160mE
5.	93274 m	517166 mE
6.	93259 m	517179 NE
7.	93250 ml	517191 mE
8.	93241 mm	517197 WE
9.	93250 ml	517182 E
10.	93256 ml	517173 nE
11.	93255 ml	517179 nE
12.	93247 mm	517194 mE
13	93247 mm	517197 NE

G. INCIDENT INFORMATION:

20. Impacted Area Details

	Total calculated area of impact O O H	_
	Impact within SPDC R.O.W	
	Impact outside R.O.W	<u></u>
21.	Volume of oil recovered before completion of JIV (V _{rec})):	
	Recovered oil V _{rect} 53	barrels
20.	Computation of the residual volume on site	
a.	Computation of volume of pool of free phase oil (on land or confined water body). i. Area (m ¹) occupied by pool of free phase oil	_
	ii. Average Depth (m) of pool of free phase oil0.037	_

THE SHELL PI	ETROLEUM D	EVELOPMENT (OMPA	NY OF M	IGERIA LIMITEI)
JOINT INVE	STIGATION REI	PORT FOR INCIDE	ENT NO	:	50352	
iii. Emulsification	factor:	11				
iv.	Volume o	pool of free phase of	V _{pool} :	2	58-18	barrels
	of volume of infil	trated oil in the soil ((V_{inf}) .			
OMPUTATION OF	i Area *(m²) co	overed by the oil:			148	
IFILTRATED OIL VOLUME	ii Area of the p	ool of free phase oil	in touch	with soil:	248	
T SPILL POINT:	iii Average Dep	th (m) below ground	surface o	of infiltratio	on of oil: De pl	2
IN INCITIVATED WEN	iv Soil type:					
EDAGE DEDA OF NO	- - -	porosity of the soil).		27	VOLUME OF	INFILTRITED
UFILTRATION AT SPILL	· · · · · · · · · · · · · · · · · · ·		, çüxsalı		GIL OUTSIDE	orill roint
POINT = 2M. IL INFILTRATION VOLUME:	iv. Volume	of infiltrated oil. V	2	·01 + 2	1.39 = 4.1	barrels = 2.3
2M ² x 21. Computation	of volume of oi	l on open water bas	sed on s	tandard co	loration.	
	of oil on open wat					
	erage depth of oil o	on water based on color	ation **			
ROSITY OF						
CLAY Scir) X	Thickness (mm)	Percentage c <u>overage</u>	₽	Volu	me (m3)	
6-29 = Barely Visible	0.00004					
2.01 BARRELS Silvery	0.00008	\ \ \ \ \ \		1		
Slight Color	0.00015		Ω			
Bright Color	0.0003	′ ′				
Dull	0.001					
Dark	0.002	APDI		QIT	-	
Blackoil	0.1	/ (! ! L			<u> </u>	
Emulsion (30% Oil)	1					
	Percent Total		100%	Total '	Volume NIL	bbl
iii.	Volume of o	il on open water. V	wat	Nil		barrels
22. Calculation	of evaporated vo	lume:		, , , , ,		
i. Oil	tone: RONALV	_ MEDIUM				
. 0.	1+=0.	_ 141001001				
ii. E-F	actor: 15 /					
iii.	Volume of e	vaporated oil. V evap:			10 II	
		Gigenman an <u>é in</u> na each.	·		20-4	barrels
Evapora	tion Factors (E-Fac	tor) for SPDC Crude	oil			
Oil Type	Days on site	Bonny Light	Bonny			
Period Since Oil	< 1 day	10%	Medium 5%			
1 21104 011100 011	1	_ ~ / v	0,	- 1		

Evaporation Factors (E-Factor) for SPDC Crude oil					
Oil Type	Days on site	Bonny Light	Bonny Medium		
Period Since Oil	< 1 day	10%	5%		
Spill	\ T day	1076	370		
	1-7 days	25%	15%		
	> 7 days	40%	25%		

^{*}If area is not same as the total area of impact, please indicate in the overview sketch
** Spill Factor from USCG FOG (2000 Edition)

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1428 \$50.352

23. Gross Total Estimated Spilled Volume = 20.4 + NIL+ 4.4 +
$V_{\text{Est}}(\text{bbls}) = V_{\text{evap}}(\text{bbls}) + V_{\text{wat}}(\text{bbls}) + V_{\text{inf}}(\text{bbls}) + V_{\text{pool}}(\text{bbls}) + V_{\text{recJ}}(\text{bbls})$ $= V_{\text{evap}}(\text{bbls}) + V_{\text{wat}}(\text{bbls}) + V_{\text{inf}}(\text{bbls}) + V_{\text{pool}}(\text{bbls}) + V_{\text{recJ}}(\text{bbls})$
VEst(bbis)= 124 RAPPELC
24. Net Total Estimated Spilled Volume = $26.4 + NL + 4.4 + V_{Est}$ (bbls) = V_{evap} (bbls) + $0.6*V_{war}$ (bbls) + V_{inf} (bbls) + V_{pool} (bbls) + V_{recl} (bbls) = 136 BARRELS
$V_{Est}(bbls) = V_{evap}(bbls) + 0.6*V_{war}(bbls) + V_{inf}(bbls) + V_{pool}(bbls) + V_{recl}(bbls)$
VEst(bbls)= 136 BARRELS

25. GENERAL STATUS OF THE SITE

A.	Joint investigation of the incident site found that there is no residual impact after the
	initial response and therefore recommend that the site be closed out
В.	
	further works
	idities works

26 REPRESENTATIVES

This report was filled and signed on the investigation representatives from

- Host Community
- Department of Petroleum Resources [DPR]:
- National Oil Spill Detection and Response Agency [NOSDRA]:
- State Ministry of Environment [SME]:
- Nigeria Police Force [NPF]:
- Shell Petroleum Development Company [SPDC]:

Tick as applicable


^{*}Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site

^{*}Conversion of m3 to barrels is Total volume VT (m3) x 6.29

^{*}Emulsification factor for spill on water to consider is 60% of volume of oil.

SOINT INVESTIGATION REPORT FOR INCIDENT NO: 6428 850352

27. Appendix 1: Overview sketch of the site



JOINT INVESTIGATION REPORT FOR INCIDENT NO: \$50352

21. Appendix 2:TABLE SHOWING ADDITIONAL COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

MINNA (MID-BELL)		
S/N	Northing	Easting
14	93247ml	517200 NE
_		
		· · · · · · · · · · · · · · · · · · ·