## 

(Note: As practicable as possible the JIT report is to be signed in the field by all the participating parties)

A. GENERAL INFORMATION:		
1. Spill incident Number: 90	8 93 [ 2.Type of	of incident * OIL SPILL
3. Name of LocationNemB∈	1 WELL 35 FLOW	DLINE
4. Name of nearest community EW	elesuo 5. State: BA	YELSA 6. LGA NEMBE
7. Type of Production facility/Installati	on FLAWLINE 8.A	sset owner/ District Swamp II .
B. INCIDENT INFORMATION:		
a. Date of incident b. Start date/time of investigation c. Investigation End date: d. Description of spill point envi	DECEMBER, 2012	
Firmed soil	Loose soil	☐ Previously excavated area
□Under water	Swampy	Exposed pipe surface
Well Plateform (on Water)  e. Description of leak point (tick	as applicable):	□Rig
Drilled hole	Hack saw cut	☐Explosive tear,
Complete Rupture	☐ Inward dent,	☐ Well head tampering
Failed Weld-on illegal hot		☐ Missing Pipeline/Flowline)
Crude oil theft (illegal) bu		☐ Third party tampering with Clamp
☐Third party tampering with		Third party tampering with flange,
Corrosion	☐Saver-pit over flow,	Surge vessel overflow
□Outward dent	☐Flare System/Bund w	Charles Control # 155
□Valve Failure	Com unit failure	□ Cold vent
Relief valve failure	Others (specify)	
f. Incident caused by:  Third party interference	<b> ☐</b> Operational	□Mystery
g. Spill point coordinates  Measuring unit Meles	(MIHNA MI	D-8efT)
Northing:		Easting:
48207	85	429058.07

Page 1 of 9

### THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

۰.	10. Typ	ENT of environment:				
		1				
	□ Land	<b>⊠</b> Swamp	□ Water	☐ Seasonal sv	vamp	
	i. Type	e of environment to	which oil has sp	oread:		
	□ Land	Swamp	□ Water	☐ River (iden	tify)	
	ii. Wea	ther condition				
	D Daining	_/				
	☐ Raining  11. Distance from	Sunny  i the nearest sensit	ive habitat			
	☐ Drinking ☐ Built up : ☐ Farmland ☐ Fish Farm ☐ Fishing r ☐ Others (s	ds m/Pond net specify). measures put in pl	ace; □ Dyke	ted area [ [ [ [ [ [ [ [ [ [ [ [ [	,m] ,m] ,m] ,m] ,m]	
	☐ Others:_	NOT APP	LICABLE .			
	13. Any pictures	or video coverage	?	[ Y]	[N]	
	14. Was there an	y disruption to the	investigation?	[Y]	[N]	
lf	yes give brief descr	iption:				
	No	TA	TPPL LO	ABLE		

S/N	Type of Structures	Description	Size	Number		Comments
	NONE !	41 TH	NA	REA	OF-	MPACT.

### THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0423 - 90898

### 16. Crops/Economic Trees

S/N	Type of crops	Young	Medium	Matured	Quantity	Comments
	NON	a With	TN A	RCA	OF IN	MACT

### 17. Fish/Nets/Ponds


S/N	Fish/Nets/	Ponds	Descrip	tion	Quantit	y/Size	Comments
N	THE	MIT	HIM	AREA	OF	M	ACT.

18. Others (Specify) i.e. Animal Traps

S/N O	thers	Description	Quantity/Size	Comments
MON	H Mi	THIN ARE	+ OF IN	MACT.

**E. GRAPHIC DESCRIPTION OF LEAK POINT** While detail report of the leak point should be contained in the Leak report, overview sketch of the site should be added as an appendix 1)

SECTIONAL VIEW OF NAME 1 WELL 35 FLOWLING AT EWELESUD SHOWING COMPLETE RUPTURE.



Page 3 of 9

# THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0423 - 90893

F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION 19. Impacted area boundary Coordinates (If more than 12 points, Attach as an appendix 2)

S/N	Northing METERS	Easting METERS
	48180.25	429039.48
	48238.59	429055.08
	48210.39	429150.8
	48166.68	429137-35
	48170.93	429073.39
_		

### G. INCIDENT INFORMATION:

20 T-	mpacted	A	170-4	1-	
211 11	mazerea	ATEX	1 1/2	alls	

0	Total calculated area of impact	D.55Ha	
0	Impact within SPDC R.O.W	TES	
•	Impact outside R.O.W	ND	

21. Volume of oil recovered before completion of JIV (VrecI):

Recovered oil V rec.J.	NIL	barrels
	Per	

- 20. Computation of the residual volume on site
- a. Computation of volume of pool of free phase oil (on land or confined water body).

i. Area (m²) occupied by pool of free phase oil.

ii. Average Depth (m) of pool of free phase oil

ESTIMATED VICLUME CATCULATION OF OIL

(A) LENGTH of PIPELINE from THE POINT OF RUPTURE TO L = 1800 METERS.

THE POINT OF CLOSURE (M) (MPSTEERM) AND DOWNSTREAM

POINT OF RUPTURE)

Page 4 of 9

#### THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED JOINT INVESTIGATION REPORT FOR INCIDENT NO: iii. Emulsification factor: Volume of pool of free phase oil. V pool: APPLICABLE b. Computation of volume of infiltrated oil in the soil (Vinf). NOT (B) OIL FROW RATE ! Area \*(m2) covered by the oil: Area of the pool of free phase oil in touch with soil: IN THE PIPELINE III Average Depth (m) below ground surface of infiltration of oil: Soil type: CLAY (c4-m/hr)= 9 $P_{\rm e}$ (effective porosity of the soil). Q = 3.5 m3/hr iv. Volume of infiltrated oil. Vinf NO APPLICABLE 21. Computation of volume of oil on open water based on standard coloration. Total area of oil on open water: depth of oil on water based on coloration \*\* Table of average FRACTION of PIPELING Percentage OCCUPIED BY THE OIL Volume (m3) (mm) coverage **Barely Visible** 0.00004 Silvery 0.00008 F= 14% Slight Color 0.00015 **Bright Color** 0.0003 Dull 0.001 Dark 0.002 Black oil Emulsion (30% Oil) (D) BURATION, HE NIL bbl 100% **Total Volume** Volume of oil on open water. Vwatbarrels = 17 MIL 22. Calculation of evaporated volume: N= 0.161h Oil type: BONNY LIGHT E-Factor: 25% Volume of evaporated oil. V evap: iii. NA barrels (E) CROSS SECTIONAL AREA Evaporation Factors (E-Factor) for SPDC Crude oil OF THE PIPELINE (Sq-M) Bonny Light Bonny Oil Type Days on site Medium AP= 0.0082 m2 Period Since Oil < 1 day 10% 5% Spill 1-7 days 25% 15% 40% 25% > 7 days (F) VALUE of 10 mins ONGDING PRODUCTION = QT (cu.m) = 0.583 m3. G) VALUE OF FULL STATIC FLOWLINE Volume = FAL (cum) = 2.05812m3. (H) TOTAL = QT + FAL (cu-m) = (6.583 + 2.05812)= 2.6415 m3 (I) THEAL - THE BSW of 9.09% (cu.m) = 2.6415 - (9.89% of 9T+FAC) Page 5 of 9 = 2.401344571

\*If area is not same as the total area of impact, please indicate in the overview sketch

\*\*Spill Factor from USCG FOG (2000 Edition)

(3) FSTIMATED VITUME, BARRELS (2.401 × 6.5) = 15.10 BARRELS

### THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 023-908931
23. Gross Total Estimated Spilled Volume
$V_{Est}(bbls) = V_{evap}(bbls) + V_{wat}(bbls) + V_{inf}(bbls) + V_{pool}(bbls) + V_{recJ}(bbls)$
VEST (bbls)= 15 10 BARREL
24. Net Total Estimated Spilled Volume
$V_{Est}(bbls) = V_{evap}(bbls) + 0.6*V_{wat}(bbls) + V_{inf}(bbls) + V_{pool}(bbls) + V_{recJ}(bbls)$
VEST(bbls)= 16 BARRELS.
*Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site
*Conversion of m3 to barrels is Total volume VT (m3) x 6.29 *Emulsification factor for spill on water to consider is 60% of volume of oil.
25. GENERAL STATUS OF THE SITE
A. Joint investigation of the incident site found that there is no residual impact after the initial response and therefore recommend that the site be closed out
B. Investigation of the incident site showed that there is residual impact on site requiring further works
26 REPRESENTATIVES
This report was filled and signed on the investigation representatives from
• Host Community
• Department of Petroleum Resources [DPR]: □
• National Oil Spill Detection and Response Agency [NOSDRA]:
• State Ministry of Environment [SME]:
Nigeria Police Force [NPF]:□
• Shell Petroleum Development Company [SPDC]:
Tick as applicable

## THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITÉD

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0423 - 908931

27. Appendix 1: Overview sketch of the site

