THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED 0283 - 844470 JOINT INVESTIGATION REPORT FOR INCIDENT NO: (Note: As practicable as possible the JIT report is to be signed in the field by all the participating parties) A. GENERAL INFORMATION: 1. Spill incident Number: 2. Type of incident * CIL SPILL 8" UMURCHEM - NKPOKY PIPELINE 4. Name of nearest community OMUSELE 5. State: RIVERS 7. Type of Production facility/Installation Prelime - 8. Asset owner/ District NESP **B. INCIDENT INFORMATION:** 9. Details of incident a. Date of incident: 24TH July, 2012 b. Start date/time of investigation: 26TH July 2012 c. Investigation End date: 26TH July, 2012 d. Description of spill point environment Firmed soil Previously excavated area Loose soil □Under water □_{Swampy} ☐Exposed pipe surface ☐ Well Plateform (on Water) \square_{Rig} e. Description of leak point (tick as applicable); □Drilled hole Hack saw cut ☐ Explosive tear, Complete Rupture ☐ Inward dent, ☐ Well head tampering ☐ Missing Pipeline/Flowline) Crude oil theft (illegal) bunkering) point, ☐ Third party tampering with Clamp Third party tampering with valve setting, ☐Third party tampering with flange, □Corrosion ☐ Saver-pit over flow, ☐ Surge vessel overflow Outward dent ☐ Flare System/Bund wall failure □Valve Failure □ Cold vent Com unit failure Relief valve failure Others (specify) f. Incident caused by: ☑Third party interference ☐ Operational $\square_{Mystery}$

Measuring unit (McTex) Northing: Easting: 507139.90 107457.44

MID -BELT

A MINITA)

g. Spill point coordinates

Page 1 of 9

 ^{*}This can be a) Oil spill b) Drilling fluid/Chemical c) siltation d) construction e) Encroachment f) Fire,

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0283-844470

C.	RISK ASSESSMEN	NT		•			
	10. Type o	of environment:					
	Land	☐ Swamp	□ Water	□ Scasonal swamp			
i. Type of environment to which oil has spread:							
	Land	☐ Swamp	□ Water	☐ River (identify)			
	ii. Weathe	r condition					
Raining Sunny 11. Distance from the nearest sensitive habitat Government reserved and designated protected area Drinking water source Built up area Farmlands Fish Farm/Pond Fishing net Others (specify). 12. Containment measures put in place;							
	C Others:	CONTAINM	□ Dyke s-u7 PiTs ·				
	13. Any pictures or		•	[Y] / [N]			
	14. Was there any d	isruption to the inv	vestigation?	$[Y] [N] \checkmark$			
Ify	ves give brief descripti	on:					
	NIN		X F D D	1			
	140	.	APP	TICABLE			
_				·			

D. TYPE/NUMBERS OF PROPERTIES, IF ANY, FOUND WITHIN THE AREA OF SPREAD OF OIL

15. Structures / Properties

S/N	Type of Structures	Description	Size	Number	Comments
				<u>-</u>	
			_		
	MINKIA To	▎▗ ▔▎▙ ▐╼ ऽ	<u> </u>	0 C.K	A (VAL)CA
-	1 1 6 1 7 C	(7	(ALT)	OF IMPACE
					
	<u> </u>	_			

JOINT INVESTIGATION REPORT FOR INCIDENT NO:

16. Crops/Economic Trees

S/N	Type of crops	Young	Medium	Matured	Quantity	Comments
	. (,	1 0			_	
ļ —	NEXIO	TI III	$1 \qquad \Lambda = \Omega$	() k +	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	XADE
	HONE		1 FTK	EAT		141114
	, , , , , , , , ,	(1 42 0 1 2				

17. Fish/Nets/Ponds


S/N	Fish/Nets/Ponds	Description	Quantity/Size	Comments
	MENE W	THIN	AREA T	MPACE

18. Others (Specify) i.e. Animal Traps

S/N	Others	Description	Quantity/Size	Comments	
	FONE	Wither !	AREA ST	MPACT	

E. GRAPHIC DESCRIPTION OF LEAK POINT While detail report of the leak point should be contained in the Leak report, overview sketch of the site should be added as an appendix 1)

SECTION OF 8" UMUGEHEM - NEPERU PIPERINE AT OMUSELE AXIS



F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

19. Impacted area boundary Coordinates (If more than 12 points, Attach as an appendix 2)

		CASIMILA	M(D-1)			
S/N	Northing	(METRY)		Easting	(MATE	<i>(</i> 5
WP765		107448.21	i		507 <i>14</i> 2	.97
W1766		107 463.59			507 (32)	. 76
IND 767		107 488.18			507130	· 73
WP 768		107 491.26			507130 507127	. 66
WP 768 WP 769 WP 770 WP 771 WP 772		107 448 · 21 107 463 · 59 107 488 · 18 107 491 · 26 107 488 · 19 107 488 · 20			507124	57
W 770		107 488 20			507121	.49 .
W77/		107491:28			507116	8- <i>4</i> 63
W/772		107506.62			50712	7.69
IWY 773		107564.89	'		507124 507121 507116 50712 50712	9·9 <u>5</u>
WP 774		107595.53			5 C 7 19	ス・ムフ
אלר לאו		107564.89			50721	1: (3)
1/6		10/6/5.31			5 07 21	<u> 78.23 </u>
WP 776 WP 778 WP 778		107690.64			5072	50·58
W 779		107641.36			-20/2-	116 24
WP780		107620.09			5072 5071	1 4 × 21 2 0 : 72
W781		107 595.52			5072	27.44
W 792		107595.52			50721 5072	0491
W 782		107598.62			507/	15.69
W784		107577.15			5071	80.22
W785		107512.75			5071	33. <i>6</i> 7
WP786		107 497.37			5071	43.08
W 383		107 488.16			5°7!	04-91 15.68 80.22 33.87 43.08 39.97 39.97 39.97 31.24 46.86
W2289		183 468 85			₹8 39	378.761
M5790		107 4768 94			507	152.24
WP742	<u> </u>	103 448: 74			307	<u> </u>
•					,	

G INCIDENT INFÓRMATION:

		4	T	
777	Impacted	Δ τΑο	Lieto	110
Z.11 .		711.4		

•	Total calculated area of impact	<u> </u>
•	Impact within SPDC R.O.W	-les
•	Impact outside R.O.W	শব্দ

21. Volume of oil recovered before completion of JIV (V_{rec.J}):

Recovered oil V _{rect}	N.I.	barrels
---------------------------------	------	---------

20	Computation	of the	recidual	volume (nn site
4U.	uommumaikon	OI UIG	I COMUM	. voimine (m m

a .	Computation of volume of pool of free phase oil (on land or computation of water (m²) occupied by pool of free phase oil	onfined water body).
-	 i. Area (m²) occupied by pool of free phase oil 	300 m.
		0.002m
	:: Augus as Donth (m) of nool of free phase oil	0 0000

THE SHELL PE	TROLEUM D	EVELOPMENT C	OMPA	NY OF N	IIGERIA LI <u>N</u>	IITED .	76	
JOINT INVES	STIGATION REF	PORT FOR INCIDE	NT NO	. 0	283 - E	3444	/ U	
	2	e 9°						
iii. Emulsification	factor:	- 19						
iv.	Volume of	pool of free phase oil	V_{pool} ;		2.64.		barrels	
b. Computation of volume of infiltrated oil in the soil (V _{inf}).								
i Area *(m²) covered by the oil: 1500 m²								
	ii Area of the pool of free phase oil in touch with soil:							
	iii Average Depth (m) below ground surface of infiltration of oil: 5.50 m							
		MP (MP Mum)	Sur ince	/1 1111XXC# C#C#	on or on:		<u> </u>	
V		porosity of the soil).	2	2598				
	v. Volume	of infiltrated oil. Vi	m _L		<u>1-57</u>		barrels	
21. Computation	of volume of oil	l on open water bas	ed on st	andard co	oloration.			
i. Total area o	foil on open wat	er: NiL						
ii. Table of ave	rage depth of oil o	on water based on color	ation **					
	Thickness	Percentage	•					
1	(mm)	coverage		Volu	ume (m3)			
Barely Visible	0.00004							
Silvery	0.00008	 	-69					
Slight Color		No						
Bright Color		1 4 5	1		<u> </u>			
Dull Dark	0.001 0.002	<u> </u>	and	· A	KLE			
Blackoil	0.002	1	{ 	777	DVL			
Emulsion (30% Oil)			<i>a-</i> -					
	Percent Total		100%	Total	Volume Nul	bbi		
` iii.	Volume of o	il on open water. V	wat h	اگلا _4	ADIJAG-	Ble.	barrels	
22. Calculation o	f evaporated vo	lume:		<u></u>	(11			
	ype: BONNY							
i. Oii i								
ii. E-Fa	ictor: 25°)	<u>a</u>						
iii. Volume of evaporated oil. V evap:			Τ		1.42.		barrels	
L	98.6 <u>(20.11.1.12</u>	######################################			, <u>, , , , , , , , , , , , , , , , , , </u>			
		tor) for SPDC Crude						
Oil Type	Days on site	Bonny Light	Bonny Medium	,				
Period Since Oil	< 1 day	10%	5%					

Evaporation Factors (E-Factor) for SPDC Crude oil							
Oil Type	Days on site	Bonny Light	Bonny Medium				
Period Since Oil Spill	< 1 day	10%	5%				
	1-7 days	25%	15%				
	> 7 days	40%	25%				


	U/200	– ጆዓዯዯ/ዐ
JOINT INVESTIGATION REPORT FOR INCIDENT NO:		- (, , , ,

JOINT INVESTIGATION REPORT FOR INCIDENT NO:						
23. Gross Total Estimated Spilled Volume						
$V_{\text{Est}}(bbls) = V_{\text{evap}}(bbls) + V_{\text{wat}}(bbls) + V_{\text{inf}}(bbls) + V_{\text{pool}}(bbls) + V_{\text{recJ}}(bbls)$						
VEG (bbls)= 1.42 + NIL+ 1.57 + 2.64 + NIL 2 5.62 BARRELS						
24. Net Total Estimated Spilled Volume						
$V_{\text{Est}}(bbls) = V_{\text{evap}}(bbls) + 0.6*V_{\text{wat}}(bbls) + V_{\text{inf}}(bbls) + V_{\text{pool}}(bbls) + V_{\text{recJ}}(bbls)$						
VEST(bbls)= 5.6 BARREGS.						
*Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site						
*Conversion of m3 to barrels is Total volume VT (m3) x 6.29						
*Emulsification factor for spill on water to consider is 60% of volume of oil. 25. GENERAL STATUS OF THE SITE						
25. GENERAL STATUS OF THE SITE						
A. Joint investigation of the incident site found that there is no residual impact after the						
initial response and therefore recommend that the site be closed out						
B. Investigation of the incident site showed that there is residual impact on site requiring						
further works						
26 REPRESENTATIVES						
This report was filled and signed on the investigation representatives from						
Host Community						
• Department of Petroleum Resources [DPR]: □						
• National Oil Spill Detection and Response Agency [NOSDRA]:						
State Ministry of Environment [SME]:						
Nigeria Police Force [NPF]:□						
Shell Petroleum Development Company [SPDC]:						

Tick as applicable

JOINT INVESTIGATION REPORT FOR INCIDENT NO: - 844470

27. Appendix 1: Overview sketch of the site



THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1283 - 844470

21. Appendix 2:TABLE SHOWING ADDITIONAL COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

		(MINNA Free)	1010 -	<u> Bert)</u>	
S/N	Northing (W	etec)	E	asting	(METER)
- 					
					
		-			
					5./
					10
				<i>\$</i> :	
				1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Xx.
				<u></u>	7
		. ,		. ,	
		. 5			
•			25	•	
	/s &		۶.		
	(2)				
<u> </u>	\nearrow	· 			
/	<u> </u>				
		<u></u>			