(Note: As practicable as possible the JIT report is to be signed in the field by all the participating parties)

•		
A. GENERAL INFORMATION:		
1. Spill incident Number: 81819	2.Type	of incident * OIL SPILL
3. Name of Location 14" OKO	RDIA - Ru	MUFKPE PIPELINE
4. Name of nearest community LKAR	AMA 5. State: BA	ELSA 6. LGA YENAGOA
7. Type of Production facility/Installation	OIL PIPELINE 8. A	Asset owner/ District NPE/Kale CREEK
B. INCIDENT INFORMATION:		·
9. Details of incident		
a. Date of incident: 24TH b. Start date/time of investigation: c. Investigation End date: 9TH d. Description of spill point environr		,
Firmed soil	Loose soil	Previously excavated area
☐Under water	Swampy (SEASCW	1) Exposed pipe surface
☐ Well Plateform (on Water)	.111-1-0-	□Rig
e. Description of leak point (tick as		Explosive tear,
Drilled hole	✓Hack saw cut ☐Inward dent;	☐ Well head tampering
Complete Rupture	_	Missing Pipeline/Flowline)
Failed Weld-on illegal hot tap		☐ Third party tampering with Clamp
☐ Crude oil theft (illegal) bunke ☐ Third party tampering with va		☐ Third party tampering with flange,
	Saver-pit over flow,	
☐Corrosion	☐ Flare System/Bund	
UOutward dent □Valve Failure	Com unit failure	☐ Cold vent
☐Relief valve failure	Others (specify)	— Colu velic
Exerci vaive faiture	Li Ottiers (specify)	<del></del> _
f. Incident caused by:  Third party interference	☐ Operational	□ <sub>Mystery</sub>
g. Spill point coordinates  Measuring unit METERS	M10-	BELT (MINNA)
Northing:		Easting:
1257	91.81	445419.35
	,	

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0263 \$18191

	00111111111	-OTIONION INE	OKT TOK INC	DENTINO. OLOW BIBLI
C.	RISK ASSESSM	MENT		
	10. Ty	pe of environment:		
	□ Land	□ Swamp	☐ Water	✓ Seasonal swamp
	і. Тур	e of environment to	which oil has sp	pread:
	□ Land ii. Wea	Swamp (SEASON ather condition	□ Water	□ River (identify)
	Raining 11. Distance from	□Sunny n the nearest sensiti	ve habitat	
	☐ Drinking☐ Built up☐ Farmlan☐ Fish Far☐ Fishing ☐ Others (:	ds m/Pond net		ted area [ ,m] [ ,m] [ ,m] [ 12 ,m] [ ,m] [ ,m]
	□ Booms	☐ Trench	□ Dyke	
	Others:_	NATURA	L DEPRI	ESSION.
	13. Any pictures	or video coverage?		[Y] [N]
	14. Was there an	y disruption to the	investigation?	[Y] [Y]
If	yes give brief descr	iption:	1	
	1	T	A	PLICABLE

D. TYPE/NUMBERS OF PROPERTIES, IF ANY, FOUND WITHIN THE AREA OF SPREAD OF OIL

15. Structures / Properties

S/N	Type of Structures	Description	Size	Number		Comments
	IONE	WITI	HIN F	REA	0F	IMPACT

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0263 81819

16. Crops/Economic Trees

S/N	Type of crops	Young	Medium	Matured	Quantity	Comments
1	PA <sub>1</sub> M	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<b></b>		2	WITHIN
<u> </u>	TREES					IMPACTED
	- <del>! \\</del>					REG-ION.

#### 17. Fish/Nets/Ponds


S/N	Fish/Nets/F	onds	Description		Quantity/Size	Comments
M	DNE	W	THIN	ARE	A OF	MPA CT

18. Others (Specify) i.e. Animal Traps

S/N	Others	Description		Quantity/Size	Comments
A	ONE	WITHIN	ARE	A OF I	MPACT.

E. GRAPHIC DESCRIPTION OF LEAK POINT While detail report of the leak point should be contained in the Leak report, overview sketch of the site should be added as an appendix 1)

SECTION OF 14" OKORDIA - RUMUEKPE PIPELINE AT IKARAMA SHOWING POSITION OF HACKSAW CUT.



RUMUEKPE

Page 3 of 9

OKORDIA

# THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED JOINT INVESTIGATION REPORT FOR INCIDENT NO: 9263 818191

F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

19. Impacted area boundary Coordinates (If more than 12 points, Attach as an appendix 2)

| You have the property of the property

		(ID-BELT CMINNA)
S/N	Northing NETERS	Easting METERS
	125727.33	445400.66
2	125736.55	445 400 . 60)
3	125 745 76	445 403 .80
4	125 754.97	445 406.91
_5	125 764.17	445413 10
_ b	125773 - 38	445416.21
7	125773 36	445422.38
8	125779.49	445425.48
9	125785.62	445 431.66
10	125 788 74	445416 26
11	125797.90	445 416.29
12	125 797.92	445 428-62
13	125 800.98	445434.79

#### G. INCIDENT INFORMATION:

<ol><li>Impacted Area Details</li></ol>
---

Total calculated area of	impact0.3°	)Ha	
Impact within SPDC R	.O.W	·	<u></u>
Impact outside R.O.W			<u></u>
21. Volume of oil recovered before	re completion of JIV (VrecJ)	:	
* 1 de	Recovered oil Vrsef	NIL.	barrels
20. Computation of the residual v	olume on site		
a. Computation of volume of pool of i. Area (m²) occupied	of free phase oil (on land or co by pool of free phase oil	onfined water body).	
ii. Average Depth (m)	of pool of free phase oil	0.001	

	*		NY OF NIGERIA LIMITE	
JOINT INVES	STIGATION REF	ORT FOR INCIDENT NO	o <u>: 0263 Q18</u> 191	
	$I_{\perp}$	กร่		
iii. Emulsification	factor:	U Io		
iv.	Volume of	pool of free phase oil. $V_{\rm pool}$ :	6.55	barrels
b. Computation	of volume of infilt	rated oil in the soil (V <sub>inf</sub> ).	-	
i. Computation		evered by the oil:	2160	
i	• •	ool of free phase oil in touch	• • •	
	_	_	of infiltration of oil:	 n 3
	v Soil type:			<u> </u>
3		porosity of the soil).	8%	
i		of infiltrated oil. V <sub>inf</sub>	2.24	barrels
			3.26	
_		on open water based on s	standard coloration.	
	of oil on open water			
ii Table of ave	rage depth of oil o	n water based on coloration **		
	Thickness	Percentage		
	(mm)	coverage	Volume (m3)	
Barely Visible	0.00004	1 1 <del></del>	_	
Silvery	0.00008	<del>    \                            </del>	· <del>-</del>	
Slight Color Bright Color	0.00015 0.0003	<del>                                     </del>		
Dull	0.001	i		
Dark	0.002	ADDITO	NO E	
Blackoil	0.1	THE LIGH	TOLE	
Emulsion (30% Oil)	1			
	Percent Total	100%	Total Volume	ьы
iii.	Volume of o	il on open water. V	NIL	barrels
22. Calculation of	f evaporated vol	ume:	1315	
i. Oil t	ype: BONNY	_ MEDIUM		
	ector: 25%			
п. с-га	25 1c			
ìii.	Volume of e	vaporated oil. V erap:	3.27	barrels
		. \		
Oil Type	tion Factors (E-Fac	tor) for SPDC Crude oil  Ronny Light Bonny		

Evaporation Factors (E-Factor) for SPDC Crude oil					
Oil Type	Days on site	Bonny Light	Bonny Medium		
Period Since Oil Spill	< 1 day	10%	5%		
-	1-7 days	25%	15%		
	> 7 days	40%	25%		

<sup>\*</sup>If area is not same as the total area of impact, please indicate in the overview sketch


\*\* Spill Factor from USCG FOG (2000 Edition)

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 23. Gross Total Estimated Spilled Volume  $V_{\text{Est}}(bbls) = V_{\text{evan}}(bbls) + V_{\text{wat}}(bbls) + V_{\text{inf}}(bbls) + V_{\text{pool}}(bbls) + V_{\text{recJ}}(bbls)$  $\mathbf{y}_{\mathsf{Est}}(\mathsf{bbls}) =$ BARRELS 24. Net Total Estimated Spilled Volume  $V_{Est}(bbls) = V_{evap}(bbls) + 0.6*V_{wat}(bbls) + V_{inf}(bbls) + V_{pool}(bbls) + V_{recJ}(bbls)$ \*Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site \*Conversion of m3 to barrels is Total volume VT (m3) x 6.29 \*Emulsification factor for spill on water to consider is 60% of volume of oil. 25. GENERAL STATUS OF THE SITE A. Joint investigation of the incident site found that there is no residual impact after the initial response and therefore recommend that the site be closed out Investigation of the incident site showed that there is residual impact on site requiring further works **26 REPRESENTATIVES** This report was filled and signed on the 19/06/2012 at incident site by joint investigation representatives from Host Community Department of Petroleum Resources [DPR]: □ • National Oil Spill Detection and Response Agency [NOSDRA]: ☑ State Ministry of Environment [SME]: □ Nigeria Police Force [NPF]: . Shell Petroleum Development Company [SPDC]: ☑

Tick as applicable

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0363 218191

#### 27. Appendix 1: Overview sketch of the site



JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0263 818191

# 21. Appendix 2:TABLE SHOWING ADDITIONAL COORDINATES TAKEN DURING JIV FOR AREA CALCULATION 10-15-17 (M) 15-17-17

		MID-DELT UMINNA)
S/N	Northing NETERS	Easting METERS
14	125810 · 17	445440.98
15	125882.46	445 444 10
16	125825.51	445450.27
17	125831.65	445 453 37
18	125 840.84	445459.56
19	125834.68	445465 • 71
్లు	125767-17	445434.58
<u>)C</u>	125 757.98	445 425.41
خو	125 726 - 676 6	445410-702 6
23	125744-948	445415-267
24	125787-184	445441.06
25	125824.83	445465.49
26	125810.67	445 454 - 32
27	125724.15	445 434 48
28	125756-80	445445 739
29	125787.31	4 45 459 . 82
30	125813.59	445474.37
30 31	125 834.71	445485.40