		MPANY OF NIGERIA LIMITED						
JOINT INVESTIGATION REPO	RT FOR INCIDENT NO	0420 865475						
	Note: As practicable as possible the JIT report is to be signed in the field by all the participating parties)							
A. GENERAL INFORMATION:								
. Spill incident Number: 86547								
	Name of Location 8" UBIE PIPELINE AT UKPELIEDE MANNIFOLD							
Name of nearest community UKPEL	_1EDE 5. State: R1	VERS 6. LGA AHOADA WITS						
7. Type of Production facility/Installation	MANIFOLD 8.A	Asset owner/ District Ntsp / LAND						
B. INCIDENT INFORMATION:								
a. Date of incident: 1114 Seys  b. Start date/time of investigation: 20 c. Investigation End date: 2614 S  d. Description of spill point environm  Firmed soil  Under water  Well Plateform (on Water)  e. Description of leak point (tick as ap  Drilled hole  Complete Rupture  Failed Weld-on illegal hot tap v  Crude oil theft (illegal) bunkeri  Third party tampering with valv  Corrosion  Outward dent  Valve Failure	Loose soil Swampy  pplicable);  Hack saw cut Inward dent, valve, ing) point,	☐ Previously excavated area ☐ Exposed pipe surface ☐ Rig ☐ Explosive tear, ☐ Well head tampering ☐ Missing Pipeline/Flowline) ☐ Third party tampering with Clamp ☐ Third party tampering with flange, ☐ Surge vessel overflow						
Relief valve failure		AKREL DOOK TAMPERED WITH.						
f. Incident caused by:  Third party interference  g. Spill point coordinates  Measuring unit	□Operational  MNA MIN-LELT	□ <sub>Mystery</sub>						
Northing:	·	Easting:						
120230	·	453218.82						
i	•	•						

Page 1 of 9

#### THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED JOINT INVESTIGATION REPORT FOR INCIDENT NO: C. RISK ASSESSMENT 10. Type of environment: ☑ Land □ Swamp □ Water □ Seasonal swamp i. Type of environment to which oil has spread: **Z** Land ☐ River (identify)\_ ☐ Swamp □ Water Weather condition ii. □ Raining Sunny 11. Distance from the nearest sensitive habitat ☐ Government reserved and designated protected area ☐ Drinking water source **刈ル ,**m] ☐ Built up area ,m] □ Farmlands m☐ Fish Farm/Pond ☐ Fishing net □ Others (specify). 12. Containment measures put in place; ☐ Booms **Trench** ☑ Dyke SAVER PI ☐ Others:

Others: SAVER PIT

13. Any pictures or video coverage? [V] [N]

14. Was there any disruption to the investigation? [Y]

If yes give brief description:

NOT APPLICABLE

D. TYPE/NUMBERS OF PROPERTIES, IF ANY, FOUND WITHIN THE AREA OF SPREAD OF OIL

15. Structures / Properties

S/N	Type of Structures	Description	Size	Number	Comments
	NONE	161504	101	AN CA	DI IMPA
	MON	101111	1 1 0	9,000	
		-			-

## THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0420 865475

#### 16. Crops/Economic Trees

S/N Type of crops	Young	Medium	Matured	Quantity	Comments
Monte	TUITE	IN A	REA	of Tre	ORG
					77

#### 17. Fish/Nets/Ponds


S/N Fish/Nets/Ponds	Description		Quantity/Size	Comments
NONE N	THIM	AR	EA OF	MAPHOT

### 18. Others (Specify) i.e. Animal Traps

S/N Others	Description		Quantity/Size	Comments
NONE	LITHIM	nRC	A OF I	MPACT
		-		

E. GRAPHIC DESCRIPTION OF LEAK POINT While detail report of the leak point should be contained in the Leak report, overview sketch of the site should be added as an appendix 1)

BY UBJE PHELIME A SECTION OF 8" UBIT PIPELINE AT UKPELIEDE IMANIFOLD SHOKING PUSITION OF BARREL DOOR



# THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0420 865476

## F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION 19. Impacted area boundary Coordinates (If more than 12 points, Attach as an appendix 2) MWART MA

S/N	Northing (M)	Easting (M)
W945	120233.35	453 203.42
NG46	120 236.40	453 209.60
WP947	120 233-32	453 212.67
W948	120 214.83	453 231. 10
N 949	120 211. 72	453 243.41
w950	120 196.26	453 274. 18
W951	120 177.76	453 295. 69
wf952	120 162. 40	453 292.56
w953	120 199-46	453.231.05
w1994	· •	453212.59
M955	,	453 206. 47
W956	l '	453 114.22
W957		453 111.15

#### G INCIDENT INFORMATION:

#### 20. Impacted Area Details

• Total calculated area of impact	<u> </u>	
Impact within SPDC R.O.W		
Impact outside R.O.W		
21. Volume of oil recovered before completion of JIV (V <sub>rec</sub> J):		
Received pil Viai	MIL	barrels
20. Computation of the residual volume on site		

a. Computation of volume of pool of free phase oil (on land or confined water body).

i. Area (m²) occupied by pool of free phase oil 1837

		ORT FOR INCIDENT NO	0420	.imited 86547
	Λ	JIL	·	·
iji, Emulsification	factor:	<u> </u>		
iv.	Volume of	pool of free phase oil. ∨ pool	115-55	Балт
b. Computation	of volume of infilt	rated oil in the soil (V <sub>inf</sub> ).		
i		vered by the oil:	786	
i	i Area of the po	ol of free phase oil in touch	with soil: 183	7
i	-	h (m) below ground surface		0.003
i	v Soil type: ŠA	NA MEDIUM	_	
3	$P_{\bullet}$ (effective	porosity of the soil). 2	5%	-
		of infiltrated oil. V <sub>mr</sub>	12.37	barr
			1201	
	Thickness (mm)	Percentage coverage	Volume (m3)	
Barely Visible	0.00004			
Silvery	0.00008	_		
Slight Color	0.00015	- 0.00		
Bright Color	0.0003	AIGT HYYL	I CAPPTE.	
Đuli 	0.001	1000	· · · · · · · · · · · · · · · · · · ·	
Dark Blackoil	0.002 0.1			
Emulsion (30% Oil)				$\overline{}$
2.110.0.011 (00 70 0.1.)	Percent Total	100%	Total Volume	bbl
iii.	* Volume of o	l on open water, V⊷	A/1)	ран
22. Calculation o	f evaporated vol	ume:	/414	
i. Oil t	ype: BONAIY	MEDIUM		
ii. E-Fa	uctor: <u>25%</u>	<u>.</u>		
iii.	Volume of ex	anorated oil. V	110 6	

Evaporation Factors (E-Factor) for SPDC Crude oil							
Oil Type	Days on site	Bonny Light	Bonny Medium				
Period Since Oil Spill	< 1 day	10%	5%				
<u> </u>	1-7 days	25%	15%				
-	> 7 days	40%	25%				

<sup>\*</sup>If area is not same as the total area of impact, please indicate in the overview sketch

\*\* Spill Factor from USCG FOG (2000 Edition)

## THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0420 8654 75
23. Gross Total Estimated Spilled Volume
$V_{Est}(bbls) = V_{evap}(bbls) + V_{wat}(bbls) + V_{inf}(bbls) + V_{pool}(bbls) + V_{recJ}(bbls)$
VER (bbls) = 42.64 + MIL + 12.37 + 115.55 = 170.56 BARRELS
24. Net Total Estimated Spilled Volume
$V_{\text{Est}}(bbls) = V_{\text{evap}}(bbls) + 0.6*V_{\text{wat}}(bbls) + V_{\text{inf}}(bbls) + V_{\text{pool}}(bbls) + V_{\text{recJ}}(bbls)$
VEST(bbls)- 42.64 + NIL + 12-37 + 115.55 = 170.56 BARRELS
*Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site
*Conversion of m3 to barrels is Total volume VT (m3) x 6.29 *Emulsification factor for spill on water to consider is 60% of volume of oil.
25. GENERAL STATUS OF THE SITE
A. Joint investigation of the incident site found that there is no residual impact after the initial response and therefore recommend that the site be closed out
B. Investigation of the incident site showed that there is residual impact on site requirin further works
26 REPRESENTATIVES
This report was filled and signed on the <u>26/09/20</u> 12 at incident site by join investigation representatives from
Host Community
• Department of Petroleum Resources [DPR]: ☑

- National Oil Spill Detection and Response Agency [NOSDRA]: ☑
- State Ministry of Environment [SME]: 🗀
- Nigeria Police Force [NPF]: 🗹
- Shell Petroleum Development Company [SPDC]: ☑

Tick as applicable

## THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED 0420 \$ 6

JOINT INVESTIGATION REPORT FOR INCIDENT NO: \_\_\_\_\_ 86547

27. Appendix 1: Overview sketch of the site

Location :	8"	UB16	PIPELI	nt.	AT	UKPELI	tot Nam	11FOLD.
AREAS CO BY POOL PHASE O	WEST STATES					7165RAFE1	D ARGA KPELIEDE PO LL POINT	
			· P	19661 (1611)	nt of	MAN		

### THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0420 865475

# 21. Appendix 2:TABLE SHOWING ADDITIONAL COORDINATES TAKEN DURING JIV FOR AREA CALCULATION MWAY MID-BELT

S/N	Northing (M)	Easting (M)
WP58	120292.04	453101.92
w1959	120 295.12	453098.85
N960	120 301.25	453105.03
N961	120 295.08	453 114.26
n8962	120 288.91	453120.40
W963	120 279.66	453132.70
w964	120 279-66	453132.70
WP965	120 282.72	453 135.79
w966	120 279.65	453 135.78
W1967	120 274.57	453 135.77
WP968	120 251.91	453 163.43
W1969	120 245.72	453 175.73
WP970	120 248.78	453181.90
W971	120 245.70	453184.98