THE	SHELL PETROLEUM (DEVELOPMENT COM	IPANY OF NIGERIA L	.IMTED.
JOINT INVESTIG	ATION REPORT FOR INCI	DENT NO: 9577	/0_ JIV report S/N:	0054
(Note: As prac	cticable as possible the JIT rep	port is to be signed in the f	ield by all the participating	parties)
A. GENERAI	L INFORMATION:			
	nt Number: 9577			
3. Name of Lo	ecation 4" AD/BA	NA WELL 102	FLOWLINE	
	arest community EDA9B			
7. Type of Pro	duction facility/Installation ${m eta}$	K FLOWLINE 8. A.	sset owner/District <u>LA</u>	<u> 10 2</u>
B. INCIDENT	ΓINFORMATION:			
b. Start c. Inves	orident of incident: date/time of investigation: tigation End date: fiption of spill point environm	L 2013 Actual invest	13 / 12:35 P	m 1 (one) Dat
	rmed soil	Loose soil	Recently excavated are	
□uī	nder water	□Swampy	Exposed pipe surface	
	ell Platform (on Water)		□Drill Rig	
_	ription of leak point (tick as ap		_	
_	rilled hole	Hack saw cut	☐ Tear (_),
	omplete Rupture	☐Inward dent,	☐Well head tampering	
	iled Weld-on illegal hot tap valve	•	☐Missing Pipeline/Flow	
	ude oil theft (illegal bunkering		☐Third party tampering	with Clamp
	nird party tampering with valve	e setting,	☐Third party tampering	with flange,
	orrosion	☐Saver-pit over flow,	☐Surge vessel overflow,	
□Ви	ilging Outward	☐Flare System/Bund wa	Il failure	d party equipment
impac	t 🔲 Valve Failure	□com	unit failure	vent
□Re	elief valve failure	Others (specify)	·	
	ent caused by: party interference (Sabotage ational Others (in	f, crude theft□; Line theft cluding Mystery spills)	• •	nage□)
	Measuring unit	Murma - 1	LO BELT	 1
l r	Northing: (M)			_
	133420-3	2	4544421) dC
	102274.5	- 54-	454537 - 1 454528 - 3 454497 - 1	71
	133362.3	19	1154528- 4	50
	1333627		7575	re
	133346.	1.5	454497 * 1	97

JOINT INVESTIGATION REPORT FOR INCIDENT NO:_	95	7710	JIV report S/N:	0054

C.	RISK ASSESS	SMENT						
	10.	Type of environment:						
	Land	□Swamp	□Water	Seasonal swam	p□Shoreline/Wateri	front		
	i. Type of environment to which oil has spread:							
	Land	□Swamp	□water	☐River (identify)			
	ii. W	eather condition						
	☐Rain 11. Distance fr	Sunny rom the nearest sensiti	•] Wet □Windy	y ⊠Hot I	□cool		
	□ Drinki □ Built t □ Farml: □ Fish F			[[[{	.m.) .m.) .m.) .m.) .m.) .m.) .m.)	-		
	12. Containme	ent measures put in pla	ice;					
	□Booms □thers	s □Trench :: NO FREE P	□Dyke thasē Onl 0	□Natural depres	sion 🗖 Pít			
	13. Any pictur	es or video coverage?		W	[N]			
	14. Was there	any disruption to the i	nvestigation?	[Y]	IW/			
If :	yes give brief des	scription:						
	NO-	T A	PPL	ICABL	E			
D.	TYPE/NUMBE	ERS OF PROPERTI	ES, IF ANY, FO	UND WITHIN THE	AREA OF SPREAD	OF OIL		
	15. Structures / Properties							
S/I	N Type of St	ructures Descr	iption Size	Number	Commen	ts		
<u> </u>								
		1	1-1-1	1 1-0-	-A DI N	1224		
\vdash		\\ \-` \	\/ 	*	// UI //	1171 ~ 1		

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMTED. JOINT INVESTIGATION REPORT FOR INCIDENT NO: 957710 JIV report S/N: 0054 16. Crops/Economic Trees Type of crops Young Medium Matured Quantity Comments IMPACIUM B 17. Fish/Nets/Ponds Fish/Nets/Ponds Quantity/Size Description Comments 18. Others (Specify) i.e. Animal Traps S/N Others Description Quantity/Size Comments E. GRAPHIC DESCRIPTION OF LEAK POINT (while detail report of the leak point should be contained in the A SECTION OF 4" ADIBANA WELL 105 FLOWHNE AT EDAGBERI SHOWING FOUR NO. HACK SAW CUTS ALL FROM 12 TO 1 C'CLOCK POSITION 40 m AC(ESS ROMO 115 M

Page 3 of 9

:Lerk

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 957710 JIV report S/N: 0054

F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

19.	Impacted	l area	bound	агу С	Coordina	ates ((If more,	Print	and	attac	h as an	appendix)	į
						N. /	1 6 1 - 53	n -	. 4		$\alpha - \epsilon$		

	MUN MUN	NA = MUD BELL
S/N	Northing (m)	NA = MID BELT Easting (m)
98	133343.67	454494.62
99	133351.62	454497 . 15
100	133343.97	454443 - 80
101	133347.94	454495.07
104	133359 14	454528.51
105	133359 - 13	454525 · 43
106	133357 · 60	454525.09
107	133357.71	454528 · 40
	· · · · · · · · · · · · · · · · · · ·	

OINT INVESTIGATION	N REPORT FOR INCIDENT NO: 95770 JIV report S/N:	005	4
G. INCIDENT INF	ORMATION:		
20. Impacted A	Area Details		
• To	otal calculated area of impact		
	pact within SPDC R.O.W		
	pact outside SPDC R.O.W	-	
	f oil recovered before completion of JIV (V _{recl}):		
	Recovered oil V _{rect} : NIL	Barrels	
22. Computati	on of estimated residual volume on site		
a. Computationi.	on of estimated volume of pool of free phase oil (on land or confined water bod Area (m²) occupied by pool of free phase oil	y).	
ii.	Average Depth (m) of pool of free phase oil		
iii.	Emulsification factor:		
iv.	Estimated Volume of pool of free phase oil. Vpool:	bar	тels
i. ii. iii. v. vii. viii. ix.	Area* (m²) of soil covered by the oil: Average Depth (m) above leaking facility i.e. pipeline/flowline: Soil type: iv. Pe (effective porosity of the soil). Cause of spill: Oil Residence time an site, day: Average depth of infiltration below leaking facility i.e. pipeline/flowline: Estimated depth of infiltration around spill point:		
IA.			
	Estimated Volume of infiltrated oil at spill point. V _{inf_a} :	L	barrels
2. Esti	imated Volume of infiltrated oil at second spill point [if applicable] (Vinf b)		
i.	Area* (m²) of soil covered by the oil:		
ii.	Average Depth (m) above leaking facility i.e. pigeline flowline:		
iii.	Soil type: iv. P_e (effective porosity of the soil)		
v.	Cause of spill vi. Oil type:	<u></u>	
vii.	Oil Residence time on site day		
viii.	Average depth of infiltration below leaking facility i.e. pipeline/flowline:		
ix.	Estimated depth of infiltration around spill point:		
Г	Estimated Volume of infiltrated oil at spill point. V _{inf b} :	barrels	

3. Estimated Volume of infiltrated oil outside immediate spill point(s) region (Vinf c)

INT INVESTIGATION F	REPORT FOR II	NCIDENT NO:_	95771	O JIV report S/f	_{ν:} 0054
		covered by the oil	10		
	·-	ool of free phase	•	soil: NIL	
iii. A	Average Depth (m	i) below ground si	urface of infiltrati	ion of oil: 💍 🖰 🖰	952
iv. S	oil type: SAN	NEDIUM			
v	P. (effective poro	sity of the soil)	25%		
		ted Volume of inf		<u></u>	barrels
·				inf: 2.7	O Dancis
23. Computation	of estimated vo	dume of oil on o	pen water based	d on standard col	oration.
i. Total area o	of oil on open wa	ter:	411	_	
ii. <u>Table of av</u>	verage depth of o	il on water based	on coloration (**Spill Factors fr Edition)	om USCG FOG (2000
	Thickness	Percentage	\$7.1	•	
Barely Visible	(mm) 0.00004	coverage	Volume (m3)	٦	
Silvery	0.00004			7	
Slight Color	0.00015	10	OLC	7	
Bright Color	0.0003	No.	CAROF	1	
Dull	0.001	001	\sim	1	
Dark	0.002	MY			
Black oil	0.1	1/2			
Emulsion (30% Oil)	1	1			
_	Percent Total	100%			
iii.		me of oil on open	water. V _{wat} :	NIL	Barrels
24. Calculation of	of evaporated vo	lume:			
i. Estin ii. E-Fa	ہستی ا	vailable for evap	poration within	surface area: 2	70 BARRELS
n. 12-ra	ctor	<u> </u>			
iii.	EstimatedVo	olume of evaporat	ed oil. V _{evap} :	0.48	Barrels
Evap	oration Factors	(E-Factor) for S	PDC Crude oil		
Oil Type	Days on site	Bonny Light	Bonny Me	dium	
Oil Residence time	< 1 day	10%		5%	
	1-7 days	25%		15%	
	> 7 days	40%		25%	
25. Net Estimat	ed Spilled Vol	ume V _{Est} (bbls)	= V _{evan} (bbls) +	- V _{wat} (bbls) + V	V _{inf} (bbls) + V _{pool}
$\overline{\text{(bbls)} + V_{\text{recJ}}}$	(bbls) = n.	18 I KILL	+ 9.74	NIL + NIL	100,00
	0 -	3.18 🕹	4BARR	el S	3.18 Back
Estimated Reported V	olume** V _{rep} (b	bls)≡ LL P	ARRELS		

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 957710 JIV report S/N:	0054
Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill v	olume estima

Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site; Conversion of m^4 to barrels is Volume (m3) x 6.29; **Round up estimated volume to next whole number using the following rules:

- Any spill volume in excess of | l bbl | is rounded up to the next whole number.
- Any spill volume in less than 1 bbl is rounded up to the next 0.1 bbl.

Examples: Calculated volume = 15.3 bbl ------ Reported volume = 16 bbl Calculated volume = 0.35 bbl ------ Reported volume = 0.4 bbl Calculated volume = 0.01 bbl ------ Reported volume = 0.1 bbl.

Wherever this estimation tool is not applicable please refer to paragraph 6c (Deviations) of the JIV procedure to use appropriate steps for column estimation; record the calculation in a plain sheet of paper and attach to the JIV report.

26. GENERAL STATUS OF THE SITE

A. Joint investigation of the incident site found that there is no residual impact after the initial response and therefore recommend that the site be closed out
B. Investigation of the incident site showed that there is residual impact on site requiring further works

27. REPRESENTATIVES

This report was filled, agreed and signed on the 10 /64/20/3 by joint investigation representatives from

- Host Community:
 ■
- Department of Petroleum Resources [DPR]: □
- National Oil Spill Detection and Response Agency [NOSDRA]: \(\nabla \)
- State Ministry of Environment [SME]: 💟
- Nigeria Police Force [NPF]:
- Shell Petroleum Development Company [SPDC]:
- Signatories agree with reported findings:
- Separate DPR form has been filled out with same findings ■

Tick as applicable

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 957710 JIV report S/N: 0054

28. Appendix 1: Overview sketch of the site

