#### THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMTED. 0076 JOINT INVESTIGATION REPORT FOR INCIDENT NO: 968552 (Note: As practicable as possible the JIT report is to be signed in the field by all the participating parties) A. GENERAL INFORMATION: 1. Spill incident Number: 968552 NEMBE CREEK PIPELINE 5. State: RIVERS 6. LGA DEGE MA 4. Name of nearest community RILLE 7. Type of Production facility/Installation DIL PIPELINE 8. Asset owner/District PIPELINE B. INCIDENT INFORMATION: 9. Details of incident a. Date of incident: 29TH b. Start date/time of investigation: 6TH MAY, 2013/10139 Hours c. Investigation End date: 6TH MAY, 2013 Actual investigation duration, days: ONE(1) DAY d. Description of spill point environment Recently excavated area Loose soil ☐Firmed soil ☐Under water **Z**Swampy ☐Exposed pipe surface ☐Drill Rig ☐ Well Platform (on Water) e. Description of leak point (tick as applicable); ☐ Hack saw cut ☐ Tear ( \_\_\_\_\_), ☐Drilled hole ☐ Inward dent. ☐Well head tampering Complete Rupture ☐Failed Weld-on illegal hot tap valve, ☐Failed Clamp ☐ Missing Pipeline/Flowline Crude oil theft (illegal bunkering) point, ☐ Third party tampering with Clamp Third party tampering with flange, Third party tampering with valve setting, ☐Saver-pit over flow, ☐Surge vessel overflow, Corrosion □Flare System/Bund wall failure □Accidental 3rd party equipment ☐Bulging Outward Com unit failure ☐Cold vent □ Valve Failure impact Relief valve failure Others (specify) f. Incident caused by: Third party interference (Sabotage□; crude thefra; Line theft□; Accidental 3rd party damage□) Others (including Mystery spills)\_ ☐ Operational g. Spill point coordinates MINNA MID-BELT Measuring unit ( ) Easting: Northing: 62610.09

#### THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMTED. 0076 JOINT INVESTIGATION REPORT FOR INCIDENT NO: 968552 JIV report S/N: C. RISK ASSESSMENT 10. Type of environment: Land Swamp □Water ☐ Seasonal swamp☐ Shoreline/Waterfront Type of environment to which oil has spread: **I**Swamp ☐ Land □ Water ☐River (identify)\_ ii. Weather condition **∠**Sunny □ Rain $\square_{\text{Dry}}$ □Wet □Hot □ Windy 11. Distance from the nearest sensitive habitat ☐ Government reserved and designated protected area □ Drinking water source ,m]☐ Built up area m, □ Farmlands ,m] □ Fish Farm/Pond ,m] □ Fishing net lm. Others (specify). MANGROVE VEGETATION 12. Containment measures put in place; □Natural depression Booms Trench Dyke DOTHERS: BUND WALLS [X] [N] 13. Any pictures or video coverage? 14. Was there any disruption to the investigation? If yes give brief description: D. TYPE/NUMBERS OF PROPERTIES, IF ANY, FOUND WITHIN THE AREA OF SPREAD OF OIL 15. Structures / Properties

S/N	/N Type of Structures		Description Size		Number		Comments	
		 		<del> </del>				
	\				9			
	AME	\ <b>t</b>		1	$\Lambda b = \Lambda$	ΛE	HADA OT	
	MO M	<del>- Y</del>	<del>                                     </del>	<b>N</b> —	TAL.	_UF		

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 968552 JIV report S/N:

<ol><li>Crops/Econo</li></ol>	mic Trees	ŝ			

S/N	Type of crops	Young	Medium	Matured	Quantity	Comments
					<u>.</u>	
	171	111000	1			
H,	IUNE	WHIN	ARE	<del>l OF</del>	IMPA C	T -
						•

#### 17. Fish/Nets/Ponds


S/N Fish/Nets/Ponds		Description		Quantity/Size		Comments	
	IONE	$\bigwedge$	NTHIN	AR	EA	<u>()</u>	FIMPACT
			77 (113 )				

18. Others (Specify) i.e. Animal Traps

S/N Others	Description	Quantity/Size	Comments
NONE	WITHIN	AREA OF	IMPACT

E. GRAPHIC DESCRIPTION OF LEAK POINT (while detail report of the leak point should be contained in the leak report, overview sketch of the site should be added as an appendix 1)

SECTION OF 30" NEMBE CREEK PIPELINE AT BILLE SHOWING ONE NO. CRUDE OIL THEFT POINT AT 12 0' CLOCK POSITION.



JOINT INVESTIGATION REPORT FOR INCIDENT NO: 968552 JIV report S/N: 0076

## F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION 19. Impacted area boundary Coordinates (If more, Print and attach as an appgndix)

S/N	Northing (M)	Easting (M)  Easting (M)
N/4/1	62606.94	494 055.71
N442	62 613.08	494 058.81
NP413	62 613-07	494061.89
wP414	62 606.93	494058.79
vP415	62 619. 19	494071.15
NP46	62 628.40	494 077.34
N417	62 634.54	494077.35
NP418	62 634.56	494 071.19
M2419	62606.93	494 061.88
M420 Pt 1	62 603.85	494 064.95
	62 628.70	494-071-30
Pt2	62 619.91	494066.56
<u></u>		

JOINT INVESTIGAT	TION REPORT FOR INCIDENT NO: 968 552 JIV report S/N:	0076
G. INCIDENT	INFORMATION:	
20. Impact	ed Area Details	
•	Total calculated area of impact 0.0172 Hg.	
•	Impact within SPDC R.O.W YES	
	Impact outside SPDC R.O.W YES	
21. Volum	e of oil recovered before completion of JIV (V <sub>recI</sub> ):	
	Recovered oil V <sub>recj</sub> : 56.6	Barrels
	26.6	!
_	station of estimated residual volume on site	
a. Compu	tation of estimated volume of pool of free phase oil (on land or confined water bod i. Area (m²) occupied by pool of free phase oil	iy).
	ii. Average Depth (m) of pool of free phase oil	
	iii. Emulsification factor:	
	iv. Estimated Volume of pool of free phase oil. V <sub>pool</sub> : 49.82	barrels
1. i	Cause of spilling PARTY CEVI. Oil type: BONNY LIGHT  i. Oil Residence time on site, day: 7 DAYS  i. Average depth of infiltration below leaking facility i.e. pipeline/flowline: 0  c. Estimated depth of infiltration around spill point: 0.752m	 •002m
	Estimated Volume of infiltrated oil at spill point. Vinf.a:	barrels
2.	Estimated Volume of infiltrated oil at second spill point [if applicable] (Vinf b)	
	i. Area* (m²) of soil covered by the oil:	
i	i. Average Depth (m) above leaking facility i.e. pipeline/flowing	
įi	i. Soil type: iv. Pc (executive follosity of the soil)	
	. Cause of spill: vi. on type:	
ψi	i. Oil Residence tilps on ste, day	
viii	i. Average depth of difiltration below leaking facility i.e. pipeline/flowline:	
i×	c. Estimated depth of infiltration around spill point:	<del>-</del>
	Estimated Volume of infiltrated oil at spill point. $V_{inf_b}$ :	barrels
3.	Estimated Volume of infiltrated oil outside immediate spill point(s) region (Vinf o	

NT INVESTIGA	ATION F	REPORT FOR	INCIDENT NO:_	968552	JIV repo	ort S/N:nn 7	6
			l covered by the of		84		-
		_	pool of free phase			7	<del></del>
			m) below ground :		_		
		Soil type:C1			or on	0.00×	•
		· -	osity of the soil)	ori			
			ated Volume of in		<u> </u>		1
	·		——————————————————————————————————————	———————	V inf-	0.12	barr
23. Comp	putation	of estimated v	olume of oil on	open water bas	sed on standar	d coloration.	
i. To	ital area (	of oil on open w	ater: NL				
ii. <u>Ta</u>	able of a	verage depth of	oil on water based	on coloration (	**Spill Fac	tors from USCG.	FOG (20
		757. * . 1	<b>.</b>		Edition)	•	
		Thickness (mm)	Percentage coverage	Volume (m	3)		
Barely	Visible	0.00004					
"	Silvery	0.00008	115	<del>-</del>			
	t Color	0.00015	1/0		_		
-	t Color	0.0003		<u> </u>			
	Duli	0.001	100	4 0 1 5	_		
	Dark	0.002	MYPL10	<del>LABI L</del>	_		
ВІ	lack oil	0.1		, , , ,			
Emulsion (30	1% OII)	1					
iii.	. Г	Percent Total Estimated Volu	me of oil on open	water, V <sub>wat</sub> :	A 8 s s	Ba	rrels
ļ.		f evaporated v			NIL.		
i. ii. 		etor: 25%	available for eva				
ili.			olume of evaporat	ed oil. V <sub>evap</sub> :	16.77	Bar	rrels
	Evapo	oration Factors	(E-Factor) for S	PDC Crude oi			
Oil Type		Days on site	Bonny Light	Bonny M			
Oil Residence	time	< 1 day	10%	<del></del>	5%	<del></del>	
		1-7 days	25%		15%	$\neg$	
		> 7 days	40%		25%		
7	7						
25. <u>Net E</u>	<u>stimate</u>	ed Spilled Vol	lume V <sub>Est</sub> (bbls)	$= V_{\text{evap}}(bbls)$	+ $V_{wat}$ (bbls)	+ V <sub>inf</sub> (bbls)	$+ V_{poo}$
(bbls)	+ V <sub>recJ</sub>	(bbis) = 16.	77+ NIL+	0.5+4	4.82+	56.6 ≃	
				•	123-	68	
Estimated Ren	orted V	olume** V <sub>rep</sub> (b	hls)=				
	WILDER V	rep(D	<u></u> 12	4 BARRI	ELS		

ТН	E SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMTED.	
JOINT INVESTI	GATION REPORT FOR INCIDENT NO: 968552 JIV report S/N: 0076	
software on si the following	f the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation te; Conversion of $m^3$ to barrels is Volume (m3) x 6.29; **Round up estimated volume to next whole number using rules:  spill volume in excess of 1 bbl is rounded up to the next whole number.	ı ıg
	•	
• Any	spill volume in less than 1 bbl is rounded up to the next 0.1 bbl.	
Exal	mples: Calculated volume = 15.3 bbl Reported volume = 16 bbl Calculated volume = 0.35 bbl Reported volume = 0.4 bbl Calculated volume = 0.01 bbl Reported volume = 0.1 bbl.	
Wherever this steps for colur	estimation tool is not applicable please refer to paragraph 6c (Deviations) of the JIV procedure to use appropri nn estimation; record the calculation in a plain sheet of paper and attach to the JIV report.	iate
26. GE	NERAL STATUS OF THE SITE	
	t investigation of the incident site found that there is no residual impact after the initial onse and therefore recommend that the site be closed out	Ī
B. Inve	stigation of the incident site showed that there is residual impact on site requiring further	Γ
27. RE	PRESENTATIVES	
This report representati	was filled, agreed and signed on the Db/D5/2013 by joint investigation ves from	
• Hos	t Community: 🗖	
• Dep	artment of Petroleum Resources [DPR]: □	
• Nat	ional Oil Spill Detection and Response Agency [NOSDRA]:	
• Stat	e Ministry of Environment [SME]: 5	
• Nige	eria Police Force [NPF]: [5]	

Shell Petroleum Development Company [SPDC]:

Separate DPR form has been filled out with same findings□

Signatories agree with reported findings:

Tick as applicable

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 968552 JIV report S/N: 0076

28. Appendix 1: Overview sketch of the site

