THE SHELL PETROLEUM D	EVELOPMENT COM		
JOINT INVESTIGATION REPO	RT FOR INCIDENT NO	: <u> </u>	915808
Note: As practicable as possible the JIT re	eport is to be signed in the	field by all the participa	ting parties)
A. GENERAL INFORMATION:			
. Spill incident Number: 91580	2.Type o	f incident * OIL	SPILL
. Name of Location 8" ISINGIR	1- INIOGATE	PIPELINE	
Name of nearest community <u>UZUAK</u> 7. Type of Production facility/Installation <u>C</u>	5. State: Al	6. LGA UK	MA - WILST
7. Type of Production facility/Installation (DIL PIPELIME 8. A	sset owner/ District <u>//</u>	PE /PH1
B. INCIDENT INFORMATION:			
Details of incident	_		
a. Date of incident: 12 H JAN b. Start date/time of investigation: 15 c. Investigation End date: 15 TH J	MARM, 2013	in lasics	♠ Æ) ·
b. Start date/time of investigation:	JAMMARY, 2	213 /07,331	•
c. Investigation End date: 15 " 1	<u>ANUARY</u> , 2013		
 d. Description of spill point environm Firmed soil 	ient √2ÎLoose soil	Previously excava	tad oran
_		<u> </u>	
Under water	□Swampy	Exposed pipe surfa	ace
Well Plateform (on Water) e. Description of leak point (tick as a	nnlicable):	\square_{Rig}	
Drilled hole	Hack saw cut	☐Explosive tear,	
_	☐ Inward dent,	☐ Well head tamper	ina
□Complete Rupture			_
Failed Weld-on illegal hot tap		☐ Missing Pipeline/I	
Crude oil theft (illegal) bunker		☐ Third party tampe	
☐Third party tampering with val	_	☐ Third party tampe	
Corrosion	☐Saver-pit over flow,	☐ Surge vessel over	flow
Outward dent	☐Flare System/Bund w		
□Valve Failure	Com unit failure	☐ Cold vent	
Relief valve failure	Others (specify)		
f. Incident caused by:			
Third party interference	☐ Operational	□ _{Mystery}	
g. Spill point coordinates		04	M. A. O 17
Measuring unit (M)			4 MIN-BELT
Northing:		Easting:	
Am 4116		•	
98 442	l·54	500 7	15 00
	'	5237	<i>'</i> 5' 77
1			

Page 1 of 9

		TIGATION REP			NO: 0539			
C.	RISK ASSESSME							
		of environment:						
	☑ Land	□ Swamp	□ W	/ater □	Seasonal swamp			
	i. Type o	f environment to	which o	oil has spread:				
	Land	□ Swamp		/ater □	River (identify)			
	ii. Weathe	er condition						
	☐ Raining 11. Distance from t	Sunny he nearest sensiti	ve habit	at				
	☐ Government reserved and designated protected area ☐ Drinking water source ☐ MiL, m] ☐ Built up area ☐ Farmlands ☐ Fish Farm/Pond ☐ Fishing net ☐ Others (specify). 12. Containment measures put in place;							
	□ Booms	□ Trench	Z	yke				
	□ Others: C	UMIAINME	ni	PIT				
	13. Any pictures or video coverage?							
	14. Was there any disruption to the investigation? [Y]							
Ify	If yes give brief description:							
_	NOT APPLICABLE.							
D. TYPE/NUMBERS OF PROPERTIES, IF ANY, FOUND WITHIN THE AREA OF SPREAD OF OIL								
	15. Structures / Pr	roperties						
S/N	Type of Structu	ires Descr	iption	Size	Number	Comments		
	WONE -	hlin	Ind	nr.	A OF	LMPACI-		

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0500 915 808

16. Crops/Economic Trees

S/N	Type of crops	Young	Medium	Matured	Quantity	Comments
	PHLM TXEES				5	IMPACTES.
ゞ	CASSALIA FARE	1			FEW	IMPACTED

17. Fish/Nets/Ponds


S/N	Fish/Nets/Ponds	Description	Quantity/Size	Comments
MO	NE WITH	IN AREA	OF IM	PACI
L_				

18. Others (Specify) i.e. Animal Traps

S/N	Others	Description	Quantity/Size	Comments
		1		
$\Box \Lambda J$	ent	IIIHINI AR	FA OF	11/1/14-01
IVI	0/9 C	7 (1) // 3	- ,	<i>- / /</i>

E. GRAPHIC DESCRIPTION OF LEAK POINT While detail report of the leak point should be contained in the Leak report, overview sketch of the site should be added as an appendix 1)

SECTIONS OF 8" IS MOTIFIL - INTO GATE PIPELINE AT UZUAKUM SHOWLING POSITIONS OF CRUDE OIL THEFT POINT AT 12 O'CLOCK POSITIONS



Page 3 of 9

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0539 9/5-8-0 8

F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION
19. Impacted area boundary Coordinates (If more than 12 points, Attach as an appendix 2)

		MINNA MID-RELT
S/N	Northing (M)	Easting (M)
WP79	98 440.31	523 699.73
W80	98 446.45	523 699.74
WBI	98 458 71	523712.09
NB2	98 455.63	523718.25
WP83	98449.48	523721.31
N84	98 446 38	513 736.71
WP 976	98 449.44	523 739.80
W977	98 449 . 44	523 742.88
N 978		523742.87
W979	1	523 758 .27
m980	98 437.16	523739.78
W981	98431.04	523724.36
wP982	98424.92	523 715.10

G. INCIDENT INFORMATION:

20	Impacted	Area	Detaile
ZU.	mmacea	AICA	Details

	 Total calculated area of impact Impact within SPDC R.O.W Impact outside R.O.W 	HA.
21.	Volume of oil recovered before completion of JIV (V _{rec} J):	
	Repoyer loi Vest	barrels
20.	Computation of the residual volume on site	•
a .	Computation of volume of pool of free phase oil (on land or confined water body). i. Area (m²) occupied by pool of free phase oil	
	ii. Average Depth (m) of pool of free phase oil	

	THE SHELL PE	TROLEUM D	EVELOPMENT (COMPAN	IY OF NIGERIA LIMITE	
	JOINT INVE	STIGATION REI	PORT FOR INCIDE	ENT NO:_	0539	7158
	iii. Emulsification	factor:	<i>∐</i>			
	iv.	Volume of	pool of free phase oi	l. V _{pool} :	94.35	barr
AREA ANGRAH Effectiv THE SO 3 X 0.7	TOM of Volume AT SPILL THE PURPLY OF THE PURPLY OF 25 X0.25 X 6.25 Recomputation i. Total area of	Area *(m²) co i Area of the po ii Average Dept v Soil type:	porosity of the soil). of infiltrated oil. Volume on open water baser: MI	in touch w surface of	Finfiltration of oil: 0 . $5 \frac{\%}{1.52} = 4.82$	O Ol
	ii. Table of ave	rage depth of oil o Thickness (mm)	n water based on color Percentage coverage		Volume (m3)	
	Barely Visible	0.00004	00101090		voidine (iiis)	Ī
	Silvery	0.00008			<u>-</u>	†
	Slight Color		11/	Λ =0.41	. C. 10 io 1 c	1
	Bright Color	0.0003	101	$\eta \gamma \gamma \Gamma$	MILE	†
	Dull	0.001	/ 1	/ 	·	1
	Dark	0.002		<u> </u>		1
	Black oil	0.1				1
E	Emulsion (30% Oil)					1
_		Percent Total	•	100%	Total Volume	ьы
	· (ii.		il on open water. V		VIII-	barro
	22. Calculation o				/ 4 / -	
	i. Oil t	ype: 130NNY	MEDIUM .		•	
	ii. E-Fa	actor: /5 /	′			
	iii.	Volume of e	vaporated oil. V evap:		30.03	barn
Г	Evanora	tion Factors (E-Fac	tor) for SPDC Crude	oil		
	Oil Type	Days on site	Bonny Light	Bonny Medium		
	Period Since Oil Spill	< 1 day	10%	5%		
		1 7 4	250/	150/	3	

Evaporation Factors (E-Factor) for SPDC Crude oil					
Oil Type	Days on site	Bonny Light	Bonny		
			Medium		
Period Since Oil Spill	< I day	10%	5%		
	1-7 days	25%	15% 1		
	> 7 days	40%	25%		

^{*}If area is not same as the total area of impact, please indicate in the overview sketch ** Spill Factor from USCG FOG (2000 Edition)

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED


JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0539 915808 23. Gross Total Estimated Spilled Volume Vest(bbls) = Vevap(bbls) + Vwat (bbls) + Vinf (bbls) + Vpool (bbls) + Vrect (bbls) Vest(bbls) = 30.03 + Mic + 4.12 + 94.35 + 71 = 200.2 BARRELS 24. Net Total Estimated Spilled Volume Vest(bbls) = Vevap(bbls) + 0.6*Vwat (bbls) + Vinf (bbls) + Vpool (bbls) + Vrect (bbls) Vest(bbls) = 30.03 + Mic + 4.82 + 74.36 + 71 = 200.2 = 201 BARRELS *Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site *Conversion of m3 to barrels is Total volume VT (m3) x 6.29 *Emulsification factor for spill on water to consider is 60% of volume of oil. 25. GENERAL STATUS OF THE SITE A. Joint investigation of the incident site found that there is no residual impact after the
V _{Est} (bbls) = V _{evap} (bbls) + V _{wat} (bbls) + V _{inf} (bbls) + V _{pool} (bbls) + V _{rect} (bbls) V _{Est} (bbls) = 30.03 + M/4 + 4.12 + 94.35 + 71 = 200.2 BARRELS 24. Net Total Estimated Spilled Volume V _{Est} (bbls) = V _{evap} (bbls) + 0.6*V _{wat} (bbls) + V _{inf} (bbls) + V _{pool} (bbls) + V _{rect} (bbls) VEst(bbls) = 30.03 + M/4 + 4.82 + 94.36 + 71 = 200.2 = 201 BARRELS* *Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site *Conversion of m3 to barrels is Total volume VT (m3) x 6.29 *Emulsification factor for spill on water to consider is 60% of volume of oil. 25. GENERAL STATUS OF THE SITE
V _{Est} (bbls)= 30.03 + M/L + 4.P2 + 94.35 + 71 = 200.2 BARRELS 24. Net Total Estimated Spilled Volume V _{Est} (bbls) = V _{evap} (bbls) + 0.6*V _{wat} (bbls) + V _{inf} (bbls) + V _{pool} (bbls) + V _{rect} (bbls) VEst(bbls)= 30.03 + M/L + 4.82 + 74.36 + 71 = 200.2 = 201 BARRELS* *Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site *Conversion of m3 to barrels is Total volume VT (m3) x 6.29 *Emulsification factor for spill on water to consider is 60% of volume of oil. 25. GENERAL STATUS OF THE SITE
24. Net Total Estimated Spilled Volume $V_{\text{Est}}(\text{bbls}) = V_{\text{evap}}(\text{bbls}) + 0.6*V_{\text{wat}} \text{ (bbls}) + V_{\text{inf}} \text{ (bbls}) + V_{\text{pool}} \text{ (bbls}) + V_{\text{rec}} \text{ (bbls})$ $VEst(\text{bbls}) = 30.03 + \text{Mil.} + 4.82 + 94.36 + 71 = 200.2 - 201 \text{ Barket}$ *Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site *Conversion of m3 to barrels is Total volume VT (m3) x 6.29 *Emulsification factor for spill on water to consider is 60% of volume of oil. 25. GENERAL STATUS OF THE SITE
24. Net Total Estimated Spilled Volume $V_{\text{Est}}(\text{bbls}) = V_{\text{evap}}(\text{bbls}) + 0.6*V_{\text{wat}}(\text{bbls}) + V_{\text{inf}}(\text{bbls}) + V_{\text{pool}}(\text{bbls}) + V_{\text{rec}}(\text{bbls})$ $VESt(\text{bbls}) = 30.03 + ML + 4.82 + 94.36 + 71 = 200.2 - 201 BARKETE $ *Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site *Conversion of m3 to barrels is Total volume VT (m3) x 6.29 *Emulsification factor for spill on water to consider is 60% of volume of oil. 25. GENERAL STATUS OF THE SITE
VEst(bbls)= 30.03 + Mill + 4.82 + 74.36 + 71 = 200.2 = 201 Barke* *Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site *Conversion of m3 to barrels is Total volume VT (m3) x 6.29 *Emulsification factor for spill on water to consider is 60% of volume of oil. 25. GENERAL STATUS OF THE SITE
*Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site *Conversion of m3 to barrels is Total volume VT (m3) x 6.29 *Emulsification factor for spill on water to consider is 60% of volume of oil. 25. GENERAL STATUS OF THE SITE
*Conversion of m3 to barrels is Total volume VT (m3) x 6.29 *Emulsification factor for spill on water to consider is 60% of volume of oil. 25. GENERAL STATUS OF THE SITE
*Emulsification factor for spill on water to consider is 60% of volume of oil. 25. GENERAL STATUS OF THE SITE
25. GENERAL STATUS OF THE SITE
A. Joint investigation of the incident site found that there is no residual impact after the
·
initial response and therefore recommend that the site be closed out 🖂
B. Investigation of the incident site showed that there is residual impact on site requiring
further works 🗹
<u> </u>
26 REPRESENTATIVES
This report was filled and signed on the <u>15 / 01 /20 13</u> at incident site by joint investigation representatives from
Host Community
Department of Petroleum Resources [DPR]:
National Oil Spill Detection and Response Agency [NOSDRA]:
State Ministry of Environment [SME]:
Nigeria Police Force [NPF]:
• Shell Petroleum Development Company [SPDC]:

Tick as applicable

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: ____0539 915808

27. Appendix 1: Overview sketch of the site



THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED JOINT INVESTIGATION REPORT FOR INCIDENT NO: _______ 9/5 80 2

21. Appendix 2:TABLE SHOWING ADDITIONAL COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

		MINNA MID-BELT
S/N	Northing (M)	Easting (M)
NP98>	98424.92	523 715.10
W983	98418.79	523 705.85
W 984	98 421.88	523 699.69
wp985	·	523 699.70
NP986	98 431.09	523 699.71
W987	98 431.08	523705.87
N988	98 437.22	523705.88
<u> </u>	<u> </u>	
-		
-		
-		