### THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMTED. JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1007349 JIV report S/N: 0145 (Note: As practicable as possible the JIT report is to be signed in the field by all the participating parties) A. GENERAL INFORMATION: 1. Spill incident Number: 1807349 2. Type of incident\* OIL SPILL 3. Name of Location 24th Bonu - BONNY TRATES NIGER PIPERINE 4. Name of nearest community BODO WEST-5. State: RNERS 6. LGA GOKANA 7. Type of Production facility/Installation OIL PIRCLINE 8. Asset owner/District PIPELINE SHAMP **B. INCIDENT INFORMATION:** 9. Details of incident a. Date of incident: 4<sup>th</sup> July 2013 b. Start date/time of investigation: 15<sup>th</sup> July 2013 c. Investigation End date: 15<sup>th</sup> July 2013Actual investigation duration, days: 5NG(1) DAT d. Description of spill point environment Recently excavated area Loose soil ☐Firmed soil Swamov Under water Exposed pipe surface ☐ Well Platform (on Water) □Drill Rig e. Description of leak point (tick as applicable); Hack saw cut ☐Drilled hole Tear (\_\_\_\_\_ ☐Inward dent. Complete Rupture ☐Well head tampering ☐Failed Weld-on illegal hot tap valve, ☐Failed Clamp ☐Missing Pipeline/Flowline ☑Crude oil theft (illegal bunkering) point, ☐ Third party tampering with Clamp ☐ Third party tampering with valve setting, Third party tampering with flange, Corrosion ☐Surge vessel overflow, ☐ Saver-pit over flow, ☐Flare System/Bund wall failure ☐Accidental 3<sup>rd</sup> party equipment ☐Bulging Outward □Valve Failure Com unit failure Cold vent impact Relief valve failure ☐Others (specify)\_ f. Incident caused by: Third party interference (Sabotage□; crude theft□; Line theft□; Accidental 3<sup>rd</sup> party damage□) - Doerational Others (including Mystery spills)\_

Measuring unit meter MINNA MID-BAT.

Northing: Easting: 532609.86

g. Spill point coordinates

|          |   |                              |                    |           | HEART OF M   |                      | MILLO.             |
|----------|---|------------------------------|--------------------|-----------|--|----------------------|--------------------|
|          | ESTIGATION RE   |                              | CIDENT NO:         | 10073     | 4역 _ JIV rep                                       | ort S/N:             | 0145               |
|          | SK ASSESSMEN  |                              |                    |           |  |                      |                    |
|          | 10. Type o  | of environment:              |                    |           | Ŧ  |                      |                    |
|          | □Land   | Swamp                        | □Water             | □Sea      | sonal swamp□S                                      | horeline/Wa          | terfront           |
|          | i. Type of  | f environment to             | which oil has      | spread:   |  |                      |                    |
|          | Land  | Swamp                        | □Water             | ⊠Riv      | er (identify)                                      |                      |                    |
|          | ii. Weathe  | r condition                  |                    |           |  |                      |                    |
| 11       | Rain Distance from th   | Sunny<br>ne nearest sensitiv | □Dry<br>ve habitat | □Wet      | □Windy   | □Hot                 | □cool              |
|          | ☐ Government ☐ Drinking wa ☐ Built up area ☐ Farmlands ☐ Fish Farm/P ☐ Fishing net ☐ Others (spec | a<br>Pond                    | esignated prote    | cted area | [m, ]<br>[m, ]<br>[m, ]<br>[m, ]<br>[m, ]<br>[m, ] | Mone<br>Witt<br>Vici | SCEN<br>HN<br>MTT. |
| 12       | . Containment me Booms Others:  | asures put in pla            | ce;<br>Dyke        | □Nat      | tural depression                                   | □Pit                 |                    |
| 13       | 3. Any pictures or  | video coverage?              |                    |           | [Y]  |                      |                    |
| 14       | . Was there any d   | isruption to the i           | nvestigation?      |           | [Y] [N]  | /                    |                    |
| If yes g | give brief descripti  | on:                          |                    |           |  |                      |                    |
|          | No  |                              | APPI               | _l C+     | NE LI  | <u>.</u>             |                    |
| 15       | PE/NUMBERS Co. Structures / Pro   | operties                     | ES, IF ANY, I      |           | THIN THE ARE                                       | A OF SPRE            |                    |

| S/N      | Type of Structures |              | Description   | Size   | Number   |     | Comments  |  |  |
|----------|--------------------|--------------|---------------|--|----------|-----|---|--|--|
|          |                    |              |               |  |          |     |   |  |  |
| $\perp$  | عد ا               | <del>[</del> | 1 < 7 , 1 , . | <u>.                                    </u> | <u> </u> |     | 11/10   |  |  |
|          | 171                |              | 11111b        | N  | AKA      | AF. | INPACT  |  |  |
| <b>—</b> | 101                | X            |               |  |          |     | <del>                                    </del> |  |  |
|          |                    |              |               |  |          |     |   |  |  |
| L        | <u>]</u> .         |              |               |  |          |     |   |  |  |

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1807349 JIV report S/N: 0145

| 1 | <ol><li>Crops/Economic Trees</li></ol> | S |  |  |
|---|--|---|--|--|

| S/N | Type of crops | Young        | Medium | Matured | Quantity | Comments |
|-----|---------------|--------------|--------|---------|----------|----------|
|     | - <u> </u>    |              |        |         |          |          |
| 1   | 710           | 1 - 6 1 - 6  | 100    | A 7     | - 12     |          |
|     | OINE          | MI IIIN      | ETKE   | A Ot    | - 1(X)   | API -    |
| ·   |               | 1 C. 1. 4. 1 | 1 10   |         | 1 · U    | 1        |
|     |               |              |        |         |          |          |
| L   |               |              |        |         |          |          |

### 17. Fish/Nets/Ponds


| S/N   | Fish/Nets/Ponds | Description                           | Quantity/Size | Comments              |
|---|-----------------|---------------------------------------|---------------|-----------------------|
|   |                 | , , , , , , , , , , , , , , , , , , , | 20.           | - 1, 1 - <del>-</del> |
|   |                 | XIIIIN A                              | KA            | X MPACL               |
| $\vdash \!$ | 10110           | Maria Contraction                     |               | 0, 1, 11, 10, 1       |
|   |                 |                                       |               |                       |

18. Others (Specify) i.e. Animal Traps

| S/N | Others | Description | Quantity/Size | Comments   |
|-----|--------|-------------|---------------|------------|
| H   | SME    | Wi (ttix    | ARCA          | OF IMPACT. |

E. GRAPHIC DESCRIPTION OF LEAK POINT (while detail report of the leak point should be contained in the leak report, overview sketch of the site should be added as an appendix 1)

ECTIONAL VIEW OF 24" BOMY - BONNY TRANS NIGER PIPELINE AT



JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1007349 JIV report S/N: 0145

F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

19. Impacted area boundary Coordinates (If more, Print and attach as an appendix) S/N Northing (MeTec) Easting (nie lez) 64094.62 532600.59 64100 . 27 532612.93 64118-72 532600.63 64121. 78 532609.89 64131 64 532603 35 64127 .04 532608.30 64086.20 532615.71 64056.01 532 61600 64057.73 5325 93.30 64033 532589.83 64022.23 532604.79 532586.67 64005.68 63951 . 19 53260D-19 532582.36 63941.70 532 619.26 64116.60 532609.21 64031.18 63985 54 532586.06 532 600·08 63935.53

| JOINT INVESTIGATION REPORT FOR INCIDENT NO: 100 7349 JIV report S/N:   | 0145         |
|--|--------------|
| G. INCIDENT INFORMATION:  20. Impacted Area Details  |              |
| • Total calculated area of impact 0.34 Hq  |              |
| 750  |              |
| Impact within SPDC R.O.W      Impact outside SPDC R.O.W      Impact outside SPDC R.O.W      Impact outside SPDC R.O.W  |              |
| input outside of Be Rio. II  | _            |
| 21. Volume of oil recovered before completion of JIV (V <sub>recl</sub> ):  Recovered oil V <sub>recl</sub> :  | Barrels      |
| Recovered oil V <sub>rec.J</sub> :   | Dan'els      |
| <ul> <li>22. Computation of estimated residual volume on site</li> <li>a. Computation of estimated volume of pool of free phase oil (on land or confined water body)</li> <li>i. Area (m²) occupied by pool of free phase oil 280 m²</li> </ul>  | ) <b>.</b>   |
| ii. Average Depth (m) of pool of free phase oil O - O o 6 m  |              |
| iii. Emulsification factor: 30 %   |              |
| iv. Estimated Volume of pool of free phase oil. V <sub>pool</sub> : 7.40   | barrels      |
| b. Computation of estimated volume of infiltrated oil in the soil (V <sub>inf</sub> ).  1. Estimated Volume of infiltrated oil at spill point (Vinf a)  i. Area* (m²) of soil covered by the oil: 20m²  ii. Average Depth (m) above leaking facility i.e. pipeline/flowline: 1.2m  iii. Soil type: 1.2m  iv. P <sub>c</sub> (effective porosity of the soil). 2.6/v  v. Cause of spill: 1.1 print vi. Oil type: 1.2 print medium  vii. Oil Residence time on site, day: 1.2 print medium  viii. Average depth of infiltration below leaking facility i.e. pipeline/flowline: 1.2 print medium  ix. Estimated depth of infiltration around spill point: 1.2 print medium  x. Estimated Volume of infiltrated oil at spill point. V <sub>inf a</sub> : 1.2 print medium | <u> </u>     |
| Estimated Volume of infiltrated oil at spill point. V <sub>inf_a</sub> : 12.   | 08   pariets |
| 2. Estimated Volume of infiltrated oil at second spill point [if applicable] (Vinf b)  |              |
| i. Area* (m²) of soil covered by the oil:NL  |              |
| ii. Average Depth (m) above leaking facility i.e. pipeline/flowline:   |              |
| iii. Soil type: $NL$ iv. $P_e$ (effective porosity of the soil). $NL$  |              |
| v. Cause of spill: N(L vi. Oil type: N(L   |              |
| vii. Oil Residence time on site, day: NIL  | _            |
| viii. Average depth of infiltration below leaking facility i.e. pipeline/flowline: N   | <u>h</u>     |
| ix. Estimated depth of infiltration around spill point:  |              |
| Estimated Volume of infiltrated oil at spill point. V <sub>inf_b</sub> : NOT APPLICATE   | garrels      |

| DINT INVESTIGATION F                                    | REPORT FOR II                | NCIDENT NO:            | 007349                      |                                       | port S/N:   | 04.        |                     |
|---|------------------------------|------------------------|-----------------------------|---------------------------------------|-------------|------------|---------------------|
|   |                              | covered by the oil:    |                             |                                       |             |            |                     |
|   |                              | ool of free phase o    |                             |                                       |             |            |                     |
|   |                              | ı) below ground sı     |                             |                                       |             | P 2 W      | _                   |
|   | Soil type: Ch                |                        | mace of infinital           | ion or on.                            |             | <u> </u>   |                     |
|   | ·· — —                       | sity of the soil)      | 8 5/4                       |                                       |             |            |                     |
|   |                              |                        |                             | <del></del>                           |             |            |                     |
| `   | . Estima                     | ted Volume of infi     | itrated oil. At V           | inf:                                  | <b>o</b>    | 43.        | barrels             |
| <ul><li>23. Computation</li><li>i. Total area</li></ul> | of estimated vo              | olume of oil on o      | pen water base<br>PPL cable | d on stand                            | lard colo   | ration.    |                     |
| ä. <u>Table of a</u>                                    | verage depth of o            | il on water based o    | on coloration (             | —<br>**Spill F                        | actors froi | n USCG FC  | G (2000             |
|   | Thickness                    | D                      |                             | Edition)                              |             |            | ., .,               |
|   | (mm)                         | Percentage<br>coverage | Volume (m3)                 | _                                     |             |            |                     |
| Barely Visible  | 0.00004                      |                        |                             |                                       |             |            |                     |
| Silvery   | 0.00008                      |                        |                             | No                                    | NE SE       | SEN.       |                     |
| Slight Color  | 0.00015                      |                        |                             |                                       |             | _          |                     |
| Bright Color  | 0.0003                       |                        |                             | Wi                                    | 7410        |            |                     |
| Dull  | 0.001                        |                        |                             | \ \Ji.c.                              | HIT-        | <b>4</b> · |                     |
| Dark  | 0.002                        |                        |                             |                                       |             | •          |                     |
| Black oil   | 0.1                          |                        |                             | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 釆           | . 57 a a   |                     |
| Emulsion (30% Oil)                                      | 1                            |                        |                             | ] obs                                 | 511 K       | i Aler     | •                   |
| _   | Percent Total                | 100%                   |                             |                                       |             |            |                     |
| iii.  |                              | me of oil on open      | water. V <sub>wat</sub> :   |                                       |             | Barr       | els                 |
| 24. Calculation of                                      | of evaporated vo             | lume:                  |                             |                                       |             |            | ·                   |
|   | nated Volume a               | vailable for evap      | oration within              | surface ar                            | ea: 19      | .90B       | rrec(s              |
| n. E-ra   | ctor:                        |                        |                             |                                       |             |            |                     |
| iii.  | EstimatedVo                  | olume of evaporate     | ed oil. V <sub>evap</sub> : | 3                                     | ·51         | Barr       | els                 |
| Evap  | oration Factors              | (E-Factor) for SI      | PDC Crude oil               |                                       |             |            |                     |
| Oil Type  | Days on site                 | Bonny Light            | Bonny Me                    | dium                                  |             |            |                     |
| Oil Residence time                                      | <del></del>                  |                        |                             |                                       |             |            |                     |
|   | 1-7 days                     | 25%                    |                             | 15%                                   |             |            |                     |
|   | > 7 days                     | 40%                    |                             | 25%                                   |             |            |                     |
| 25. <u>Net Estimat</u><br>(bbls) + V <sub>recJ</sub>    |                              | 1 + NIL +<br>23.       | 12.51 +<br>42 BARR          | 7·40<br>els                           |             |            | - V <sub>pool</sub> |
| Estimated Reported \                                    | olume** V <sub>rep</sub> (bl | bls)= 24               | 4 BARREL                    | <u>د</u>                              |             |            |                     |

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1507349 JIV report S/N: 0145

Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site; Conversion of  $m^3$  to barrels is Volume (m3) x 6.29: \*\*Round up estimated volume to next whole number using the following rules:

- Any spill volume in excess of 1 bbl is rounded up to the next whole number.
- Any spill volume in less than 1 bbl is rounded up to the next 0.1 bbl.

Examples: Calculated volume = 15.3 bbl ----- Reported volume = 16 bbl

Calculated volume = 0.35 bbl ------ Reported volume = 0.4 bbl Calculated volume = 0.01 bbl ------ Reported volume = 0.1 bbl.

Wherever this estimation tool is not applicable please refer to paragraph 6c (Deviations) of the IIV procedure to use appropriate steps for column estimation; record the calculation in a plain sheet of paper and attach to the IIV report.

#### 26. GENERAL STATUS OF THE SITE

- A. Joint investigation of the incident site found that there is no residual impact after the initial response and therefore recommend that the site be closed out
- B. Investigation of the incident site showed that there is residual impact on site requiring further works

#### 27. REPRESENTATIVES

This report was filled, agreed and signed on the  $\frac{15}{67}/2013$  by joint investigation representatives from

- Host Community: 

  ✓
- Department of Petroleum Resources [DPR]:
- National Oil Spill Detection and Response Agency [NOSDRA]: 

   ✓
- State Ministry of Environment [SME]:
- Nigeria Police Force [NPF]:
- Sheil Petroleum Development Company [SPDC]:
- Signatories agree with reported findings: <a>\bar{\quad}</a>
- Separate DPR form has been filled out with same findings□

Tick as applicable

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1507349 JIV report S/N:

28. Appendix 1: Overview sketch of the site

