THE SHELL PETROLEUM D		^^?
OINT INVESTIGATION REPORT FOR INC	DENT NO: <u>9457</u>	34_ JIV report S/N: 0033
(Note: As practicable as possible the JIT rep	port is to be signed in the	field by all the participating parties)
A. GENERAL INFORMATION:		
1. Spill incident Number:945	72L 2 Type	of incident* DII SPII I
3. Name of Location 18" ASS		
4. Name of nearest community <b>EGBE</b>	DA5. State: RIV	ERS 6. LGA EMOHUA
7. Type of Production facility/Installation	IL PIPELINE 8.	Asset owner/District NPE/RUMU AHIA
B. INCIDENT INFORMATION:		
9. Details of incident  a. Date of incident: 15 TH  b. Start date/time of investigation: c. Investigation End date: 17 TH  d. Description of spill point environn	MARCH 20 7TH MARCH ARCH Actual invenent 2015	13! 2013 estigation duration, days: <u>ONE(1) DAY</u>
☐Firmed soil	Loose soil	Recently excavated area
Under water	□Swampy	Exposed pipe surface
□Well Platform (on Water)	liashla\.	□Drill Rig
<ul> <li>e. Description of leak point (tick as a</li></ul>	Hack saw cut	☐ Tear (),
Complete Rupture	☐Inward dent,	☐ Well head tampering
Failed Weld-on illegal hot tap valv	•	Missing Pipeline/Flowline
Crude oil theft (illegal bunkerin		☐Third party tampering with Clamp
☐Third party tampering with val		☐ Third party tampering with flange,
☐Corrosion	- 4	☐Surge vessel overflow,
☐Bulging Outward	☐Flare System/Bund v	wall failure Accidental 3 <sup>rd</sup> party equipment
impact	e $\square_{\mathrm{cor}}$	m unit failure
Relief valve failure	Others (specify)	
	☐; crude theft☐; Line the including Mystery spills)_	eft□; Accidental 3 <sup>rd</sup> party damage□)
g. Spill point coordinates  Measuring unit (M)	i .	Easting: MINNA MID-BELT
Northing:	-	- AMATTERS
137337	·59°	478874.36

JOINT INVE	STIGATION	REPORT FOR IN	CIDENT NO:	311C_	734 .IIV ron	ort S/N·	0833
	SK ASSESSM		OIDENT   NO	174	<u></u> 014 10b	or on.	•
		e of environment:					
	Land	□Swamp	□Water	□Se	asonal swamp□S	Shoreline/Wa	terfront
	і. Туре	of environment to	which oil has spi	ead:			
	Land	<b>□</b> Swamp	□Water	□Ri	ver (identify)		
	ii. Wea	ther condition					
11.	☐Rain . Distance from	Sunny the nearest sensit	• "	□Wet	□Windy !	□Hot	□cool
	☐ Drinking ☐ Built up : ☐ Farmland ☐ Fish Farm ☐ Fishing n	ls n/Pond			[ ,m] [ ,m] [ ,m] [ ,m] [ ,m]		
12	. Containment	measures put in pl	ace;				
	3. Any pictures	Trench  CAUSTED b  or video coverage:	•	□N 4 1	[Y] [N]		
	,	, <u>-12</u>	····		107 1-1		
If yes g	give brief descri	ption:	APP		CAB	LE	- · · · · · · · · · · · · · · · · · · ·
D. TY	PE/NUMBER:	S OF PROPERTI	ES, IF ANY, FO	und wi	THIN THE ARE	A OF SPRE	AD OF OIL
15	5. Structures /	Properties		á.			
S/N	Type of Struc	ctures Descr	iption Size	N	umber	Com	nents
	<u> </u>						
			<b>+</b>	Λ			
	IDNI		1 1 11 12 1		REA C	FIM	PACT

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMTED. 0033 JOINT INVESTIGATION REPORT FOR INCIDENT NO: 945734 JIV report S/N: 16. Crops/Economic Trees Medium Quantity Comments Type of crops Young Matured 17. Fish/Nets/Ponds Quantity/Size **Comments** S/N Fish/Nets/Ponds Description 18. Others (Specify) i.e. Animal Traps Quantity/Size Comments Description Others E. GRAPHIC DESCRIPTION OF LEAK POINT (while detail report of the leak point should be contained in the leak report, overview sketch of the site should be added as an appendix 1) 18" ASSA - RUMUEKPE EGBEDA SHOWING ONE NO. POINT AT 120' CLOCK POSITION, CRUD 211 EXISTING 18" X 14" PLIDED EXISTING 18" × 24" NIPPLE SPLIT SLEEVE JAMSON SPLIT WITH BALL VALVE **JEAK** POINT <u>600ни</u> BETWEEN BETWEEN ENTRES CENTRES

RUMUEKPE

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 945734 JIV report S/N:

0033

# F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION 19. Impacted area boundary Coordinates (If more, Print and attach as an appendix)

S/N	Northing (M)	Easting (M)
WPOKE	4788871	
NP068	137 340.68	478868.211 Coordinates
W069	137 337-58	478868.21 Coordinates 478877.442 of excaused
W070	137 331.44	478877.43 ditch.
NO71	137 334.54	4 7 8 868.87
	<u> </u>	
	Area Imparted:	= 0-000216 = 2 m²
	, , , , , , , , , , , , , , , , , , ,	
		1
		<u> </u>

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 445 734 JIV report S/N:	0033
G. INCIDENT INFORMATION:  20. Impacted Area Details	
•	
Total calculated area of impact 0.002 Hq.	
Impact within SPDC R.O.W	
Impact outside SPDC R.O.W	
21. Volume of oil recovered before completion of JIV (V <sub>recJ</sub> ):	<del></del>
Recovered oil V <sub>recJ</sub> :	Barrels
22. Computation of estimated residual volume on site	
a. Computation of estimated volume of pool of free phase oil (on land or confined water body	y).
i. Area (m²) occupied by pool of free phase oil	
ii. Average Depth (m) of pool of free phase oil	
iii. Emulsification factor:	
Estimated Volume of pool of free phase oil. V <sub>pool</sub> :	barrels
<ul> <li>b. Computation of estimated volume of infiltrated oil in the soil (V<sub>inf</sub>).</li> <li>1. Estimated Volume of infiltrated oil at spill point (Vinf a)</li> <li>i. Area* (m²) of soil covered by the oil:</li> </ul>	
ii. Average Depth (m) above leaking facility i.e. pipeline/flowline: 0.45	
iii. Soil type: LATERITE iv. P. (effective porosity of the soil) 20%	<b>1</b>
v. Cause of spill: IN THERE ARTY Oil type: BONNY LIGHT	
vii. Oil Residence time on site, day: 2 DAYS	
viii. Average depth of infiltration below leaking facility i.e. pipeline/flowline:	-033 m
ix. Estimated depth of infiltration around spill point: 0-4-83 m	
Estimated Volume of infiltrated oil at spill point. V <sub>inf_a</sub> : 0.61	barrels
2. Estimated Volume of infiltrated oil at second spill point [if applicable] (Vinf b)	
i. Area* (m <sup>2</sup> ) of soil covered by the oil:	
ii. Average Depth (m) above leaking facility i.e. pipeline/flowline: N1	
iii. Soil type: Acou CABLE iv. Pe (effective porosity of the soil).	
v. Cause of spill: APPLICABLE vi. Oil type: NOT APPLICABLE	
vii. Oil Residence time on site, day:	
viii. Average depth of infiltration below leaking facility i.e. pipeline/flowline: N	<u></u>
ix. Estimated depth of infiltration around spill point: NIL	
Estimated Volume of infiltrated oil at spill point. V <sub>inf_b</sub> :	parrels

3. Estimated Volume of infiltrated oil outside immediate spill point(s) region (Vinf c)

		NCIDENT NO:_			511 G/11,	
		covered by the oil				_
	•	oool of free phase		`	-	
iii. A	Average Depth (n	n) below ground s	urface of infiltrat	tion of oil:	0.033	_
iv. S	Soil type:A^	<b>TERITE</b>				
V	$P_{\bullet}$ (effective pore	osity of the soil)	20%			
	<u>-</u>	ted Volume of inf		7 <sub>inf</sub> :	0.04	bar
23. Computation	of actimated w	olume of oil on o	men water hace	on standa	rd coloration	
•		ater: NIL	-	zu on standa	itu coloration.	
		il on water based		 **\$nill Ea	ctors from USCC	s roc a
<u>20019 01 01</u>		ř.	,	Edition)	ciors from oacc	3 F O O   2
	Thickness	Percentage	Training for 7	Α.		
Barely Visible	0.00004	coverage	Volume (m3	<u>"</u>		
Silvery		11-		7		
Slight Color	0.00015	140	1	=		
Bright Color	0.0003					
Dull	0.001	<u> i</u>				
Dark	0.002	Appli	ADIT	=		
Black oil	0.1	TITL	CARL			
				$\neg$		
Emulsion (30% Oil)	1		<u> </u>			
iii.	Percent Total Estimated Volu	me of oil on open	water V	•	I F	Barrels
24. Calculation of		***	water, wai-	NIL		
	actor: 25%	available for eva		_		Barrels
L				0.2		
Evar	oration Factors	(E-Factor) for S	PDC Crude oil			
Oil Type	Days on site	Bonny Light	Bonny Mo			
	< 1 day	10%		5%		
Oil Residence time	+ <del></del>	25%		15%		
	1-7 days					
	1-7 days >7 days	40%		25%		
Oil Residence time	>7 days	40%	= V <sub>eves</sub> (bbls)		s) + V:e (bbl	s) + V.
Oil Residence time  25. Net Estimat	>7 days	40%	= V <sub>evap</sub> (bbls) + 0.65 4	+ V <sub>wat</sub> (bbl	$\frac{1}{s) + V_{inf}} \frac{1}{(bbl)}$	s) + V <sub>p</sub>
Oil Residence time  25. Net Estimat	>7 days	40%	= V <sub>evap</sub> (bbls) + 0-65 +	+ V <sub>wat</sub> (bbl	s) + V <sub>iuf</sub> (bbl NIL = C	s) + V <sub>r</sub>

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 445 734 JIV report S/N:	003	13	
Calculation of the respective actimated volume is to be done on site as for an activities the site of			

Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site; Conversion of  $m^3$  to barrels is Volume (m3) x 6.29; \*\*Round up estimated volume to next whole number using the following rules:

- Any spill volume in excess of I bbl is rounded up to the next whole number.
- Any spill volume in less than 1 bbl is rounded up to the next 0.1 bbl.

Examples: Calculated volume = 15.3 bbl ------ Reported volume = 16 bbl Calculated volume = 0.35 bbl ------ Reported volume = 0.4 bbl Calculated volume = 0.01 bbl ------ Reported volume = 0.1 bbl.

Wherever this estimation tool is not applicable please refer to paragraph 6c (Deviations) of the JIV procedure to use appropriate steps for column estimation; record the calculation in a plain sheet of paper and attach to the JIV report.

## 26. GENERAL STATUS OF THE SITE

- A. Joint investigation of the incident site found that there is no residual impact after the initial response and therefore recommend that the site be closed out
  - B. Investigation of the incident site showed that there is residual impact on site requiring further works

#### 27. REPRESENTATIVES

This report was filled, agreed and signed on the 17/03/2013 by joint investigation representatives from

- Department of Petroleum Resources [DPR]:
- National Oil Spill Detection and Response Agency [NOSDRA]:
- State Ministry of Environment [SME]:
- Nigeria Police Force [NPF]:
- Shell Petroleum Development Company [SPDC]:
- Signatories agree with reported findings:
- Separate DPR form has been filled out with same findings□

Tick as applicable

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 945734 JIV report S/N: 0033

28. Appendix 1: Overview sketch of the site

