JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1037941 JIV report \$/N: (Note: As practicable as possible the JIT report is to be signed in the field by all the participating parties) A. GENERAL INFORMATION: 1. Spill incident Number: 1037941 2. Type of incident* OLL SPILL Bomu-Bount Pretine 4. Name of nearest community BODO WEST 5. State: KWERS 6. LGA GOKAWA 7. Type of Production facility/Installation Ou Fuelwe 8. Asset owner/District Public B. INCIDENT INFORMATION: a. Date of incident: 10Th SEPTEMBER 2013 9. Details of incident a. Date of incident: NU SCHICK OF SEPTEMBER TO 23 SEPTEMBER 2513 AND
b. Start date/time of investigation: 1974 SEPTEMBER TO 23 SEPTEMBER 2513 AND
c. Investigation End date: 47451066 2513 Actual investigation duration, days: 8 DAYS
d. Description of spill point environment d. Description of spill point environment Loose soil Recently excavated area ☐Firmed soil **Swampy** Under water Exposed pipe surface Drill Rig ☐ Well Platform (on Water) e. Description of leak point (tick as applicable); ☐Hack saw cut ☐ Tear (______), ☐Drilled hole ☐Inward dent. ☐ Well head tampering Complete Rupture Failed Weld-on illegal hot tap valve, Failed Clamp ☐Missing Pipeline/Flowline Crude oil theft (illegal bunkering) point, ☐ Third party tampering with Clamp ☐ Third party tampering with flange. Third party tampering with valve setting, Corrosion ☐ Saver-pit over flow, ☐Surge vessel overflow, ☐Flare System/Bund wall failure ☐Accidental 3rd party equipment ☐Bulging Outward Cold vent Com unit failure impact □Valve Failure Relief valve failure Others (specify)_ f. Incident caused by: Third party interference (Sabotage□; crude theft☑; Line theft□; Accidental 3rd party damage□) Operational Others (including Mystery spills)_ g. Spill point coordinates Measuring unit (M) Easting: Northing: 65540.65 532741.82

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1037941 JIV report S/N: 0177 C. RISK ASSESSMENT 10. Type of environment: Swamp ☐Land □Water ☐ Seasonal swamp ☐ Shoreline/Waterfront Type of environment to which oil has spread: Swamp Land □Water ☐River (identify)_ ii. Weather condition Windy Sunny □ Rain □Wet □Hot Drv □cool 11. Distance from the nearest sensitive habitat Government reserved and designated protected area ,m) □ Drinking water source NON € ,m) ☐ Built up area ,m] □ Farmlands ,m] ☐ Fish Farm/Pond ,m] □ Fishing net ,m] □ Others (specify). 12. Containment measures put in place; Trench **⊠**rit ☐Booms □Dyke ☐Natural depression Others: NA [N] 13. Any pictures or video coverage? 14. Was there any disruption to the investigation? [Y] If yes give brief description:

D. TYPE/NUMBERS OF PROPERTIES, IF ANY, FOUND WITHIN THE AREA OF SPREAD OF OIL

15. Structures / Properties

S/N	Type of Structures	Description	Size	Number	Comments	
ļ	n	_		A 75 A		
	 / 	1.1	THIN	A DA	INI IMPA	07
 			 		11111177	\triangleright I
	1 '	, ,	1 -	• •		1
-						┨
I.	<u> </u>		L	<u> </u>	<u> </u>	

	16. Crops/Econo	omic Trees				
			3.5 - 22	Matural	Quantity	Comment
S/N	Type of crops	Young	Medium	Matured	Quantity	Comment
			a t	1 /	<u> </u>	4 0
	HAIDM	* 1,117	HIN	AKEA	10+	MPA
	1 4 OLL	A NAII	-{ }	11000		-
	<u> </u>					
	17. Fish/Nets/Po	onds				
S/N	Fish/Nets/Pond	ds Description		Quantity/Size	Comments	
3/1	T ISHIFT CONT.	ds pescripuon		Q		
	11.10	- 1. (- 1.1.	. / I A /		7 1.	• O • • —
-	MONE	- WI /{+	IN AL	U A J	1 / N	1PACI
	140.1					
				<u> </u>		
	18. Others (Spe	cify) i.e. Animal Traj	ps			
S/N	Others	Description		Quantity/Size	Comments	
			11	87	(24.01	07
	$+\Lambda /\Lambda M \epsilon$	= 1/11/1/19	4 ALES	# U+	INIPA	<u> </u>
-	1 4 51 13					<u>-</u>
leai ECTIO INVE KL BU	k report, overview IN OF 29 AT BODO	RIPTION OF LEAK Sketch of the site should be west showing onmettion	t be added as an	appendix 1) > 2" Pute O		
		_				

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1034941 JIV report S/N:0177

F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

19. Impacted area boundary Coordinates (If more, Print and attach as an appendix)

S/N	Northing (M)	Easting (M)
W566_	65552.95	532 735.68
M567	65 546 . 79	532 744. 92
W568	65 540. 64	532747.99
N 569	65 534.51	532741.81
N585	65 537.60	532732.57
W 573	65 540.67	532729.50
W574	65 543 - 78	532 711. 01
W576	65 546.86	532704.85
N/577	65 549. 95	532 695 · 61
W578	65 556.08	532 698.70
W 579	65 549.88	532 732.59
-		
		,
	<u> </u>	

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED. JOINT INVESTIGATION REPORT FOR INCIDENT NO: JIV report S/N: G. INCIDENT INFORMATION: 20. Impacted Area Details Total calculated area of impact_ Impact within SPDC R.O.W_ Impact outside SPDC R.O.W _ 21. Volume of oil recovered before completion of JIV (V_{recl}): Barrels Recovered oil V_{recl}: 22. Computation of estimated residual volume on site a. Computation of estimated volume of pool of free phase oil (on land or confined water body). Area (m2) occupied by pool of free phase oil_ 0.001 Average Depth (m) of pool of free phase oil iii. Emulsification factor:_ įν. Estimated Volume of pool of free phase oil. V_{pool}: barrels 1 - 8 Computation of estimated volume of infiltrated oil in the soil (V_{inf}). 1. Estimated Volume of infiltrated oil at spill point (Vinf a) Area* (m²) of soil covered by the oil: 20 m² i. Average Depth (m) above leaking facility i.e. pipeline/flowline: ii. iv. Pe (effective porosity of the soil).__ iii. Cause of spill: Intreafferenty. Oil type: Bonny Walt ٧. Oil Residence time on site, day: NIME (9) 9443 vii. Average depth of infiltration below leaking facility i.e. pipeline/flowline: 0.002 viii. Estimated depth of infiltration around spill point: 1.5025 m ix. Estimated Volume of infiltrated oil at spill point. Vinf a: barrels - 12 2. Estimated Volume of infiltrated oil at second spill point [if applicable] (Vinf b) Area* (m2) of soil covered by the ail: i. Average Depth (m) above leaking facility i.e. pipeline/flowline:_ ii. P_e (effective porosity of the soil). iii. Soil type: _ Cause of spill: Oil type: ٧. Oil Residence time on size, day: vii. viii. Average/depth of infiltration below leaking facility i.e. pipeline Estimated depth of infiltration around spill point: ix. Estimated Volume of infiltrated oil at spill point. Vinf. b:

3. Estimated Volume of infiltrated oil outside immediate spill point(s) region (Vinf c)

barrels

i. Area (m²) of soil covered by the oil:
iii. Area (m²) of the pool of free phase oil in touch with soil: 300 iii. Average Depth (m) below ground surface of infiltration of oil: 0.6025 iv. Soil type:
iv. Soil type: v. P _e (effective porosity of the soil). Vi. Estimated Volume of infiltrated oil. At V _{inf} : D. 6 barrels 23. Computation of estimated volume of oil on open water based on standard coloration. i. Total area of oil on open water: II. Table of average depth of oil on water based on coloration (**Spill Factors from USCG FOG (2000 Edition) Barely Visible Silvery Slight Color Bright Color Bright Color Dull Dark Black oil Emulsion (30% Oil) Percent Total Percent Total 100% Estimated Volume of oil on open water. V _{wa} : Barrels 24. Calculation of evaporated volume: i. Estimated Volume available for evaporation within surface area: 17.60 Barrels
iv. Soil type: v. P _e (effective porosity of the soil). Vi. Estimated Volume of infiltrated oil. At V _{inf} : Discrete based on standard coloration. i. Total area of oil on open water: II. Table of average depth of oil on water based on coloration (Silvery Slight Color Bright Color Dull Dark Black oil Emulsion (30% Oil) Emulsion (30% Oil) Percent Total P
vi. Estimated Volume of infiltrated oil. At V _{inf} : D. 6 barrels 23. Computation of estimated volume of oil on open water based on standard coloration. i. Total area of oil on open water: ii. Table of average depth of oil on water based on coloration (**Spill Factors from USCG FOG (2000 Edition) Barely Visible Silvery Slight Color Bright Color Dull Dark Black oil Dark Black oil Emulsion (30% Oil) Percent Total 100% Estimated Volume of oil on open water. V _{wa} : Barrels 24. Calculation of evaporated volume: i. Estimated Volume available for evaporation within surface area: 17.60 Barrels
23. Computation of estimated volume of oil on open water based on standard coloration. i. Total area of oil on open water: ii. Table of average depth of oil on water based on coloration (**Spill Factors from USCG FOG (2000 Edition)) Barely Visible Silvery Silvery Silvery Slight Color Bright Color Dull Dark Black oil Emulsion (30% Oil) Percent Total 100% 100% Estimated Volume of oil on open water. Vwai: Barrels 24. Calculation of evaporated volume: i. Estimated Volume available for evaporation within surface area: 17.60 Barrels
i. Total area of oil on open water: II. Table of average depth of oil on water based on coloration (Thickness (mm) Percentage (coverage Volume (m3) Silvery 0.00004 Silvery 0.00008 Bright Color Dull Dark Black oil Dark Black oil Emulsion (30% Oil) 1 Percent Total 100% III. Estimated Volume of oil on open water. Vwat: 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 17-60 Barket 1. Estimated Volume available for evaporation within surface area: 18-60 1. Estimated Volume available for evaporation within surface area: 18-60 1. Estimated Volume available for evaporation within surface area: 18-60 1. Estimated Volume available for evaporation within surface area: 18-60 1. Estimated Volume available for evaporation within surface area: 18-60 1. Estimated Volume available for evaporation within surface area: 18-60 1. Estimated Volume available for evap
i. Total area of oil on open water: II. Table of average depth of oil on water based on coloration (Thickness (mm) Percentage coverage Volume (m3) Barely Visible Silvery 0.00008 Slight Color Bright Color Dull Dark Black oil 0.1 Emulsion (30% Oil) 1 Percent Total 100% iii. Estimated Volume of oil on open water. Vwat: A. Calculation of evaporated volume: i. Estimated Volume available for evaporation within surface area: 17-60 Barket
Barely Visible Silvery Slight Color Bright Color Dull Dark Black oil Emulsion (30% Oil) Emulsion of evaporated Volume of oil on water based on coloration (**Spill Factors from USCG FOG (2000 Edition) **Spill Factors from USCG FOG (2000 Edition) **Sp
Barely Visible Silvery Slight Color Bright Color Dull Dark Black oil Emulsion (30% Oil) Percent Total Estimated Volume of oil on open water. Vwac: i. Estimated Volume available for evaporation within surface area: 17.60 Barks.
Barely Visible Silvery 0.00008 Slight Color Bright Color Dull Dark Black oil Dark Black oil Emulsion (30% Oil) Percent Total 100% Estimated Volume of oil on open water. Vws.: Barrels 24. Calculation of evaporated volume: i. Estimated Volume available for evaporation within surface area: 17.60 Barrels
Silvery Slight Color Bright Color Dull Dark Black oil Dull Dark Black oil Estimated Volume of oil on open water. Vwa: ii. Estimated Volume available for evaporation within surface area: 17.60 Barks.
Slight Color Bright Color Dull Dark Black oil Emulsion (30% Oil) Percent Total Estimated Volume of oil on open water. Vwat. 11. Estimated Volume: 12. Calculation of evaporated volume: 13. Estimated Volume available for evaporation within surface area: 17.60 Barks.
Bright Color Dull Dark Black oil Dark Black oil Percent Total 100% Estimated Volume of oil on open water. Vwat: ii. Estimated Volume available for evaporation within surface area: 17.60 Barks 11. Estimated Volume available for evaporation within surface area: 17.60 Barks 11. T
Dark Black oil Emulsion (30% Oil) Percent Total Estimated Volume of oil on open water. Vwat: Barrels 24. Calculation of evaporated volume: i. Estimated Volume available for evaporation within surface area: 17.60 Barrels
Emulsion (30% Oil) Percent Total Estimated Volume of oil on open water. Vwak: A Calculation of evaporated volume: i. Estimated Volume available for evaporation within surface area: 17.60 gazza.
Emulsion (30% Oil) Percent Total Estimated Volume of oil on open water. Vwst: Barrels 24. Calculation of evaporated volume: i. Estimated Volume available for evaporation within surface area: 17.60 Barrels
Percent Total 190% Estimated Volume of oil on open water. Vwst: NUL Barrels 24. Calculation of evaporated volume: i. Estimated Volume available for evaporation within surface area: 17.60 garres
iii. Estimated Volume of oil on open water. Vwat: AUL Barrels 24. Calculation of evaporated volume: i. Estimated Volume available for evaporation within surface area: 17.60 BARRA
24. Calculation of evaporated volume: i. Estimated Volume available for evaporation within surface area: 17.60 BARRA
i. Estimated Volume available for evaporation within surface area: 17-60 BARRE
i. Estimated Volume available for evaporation within surface area: 17.60 gares. ii. E-Factor: 40 %
ii. E-Factor: 40 7.
iii. EstimatedVolume of evaporated oil. V _{evap} : 11. 74 Barrels
Evaporation Factors (E-Factor) for SPDC Crude oil
Oil Type Days on site Bonny Light Bonny Medium
Oil Residence time < 1 day 10% 5%
1-7 days 25% 15%
>7 days 40% 25%
25. Net Estimated Spilled Volume $V_{Est}(bbls) = V_{evap}(bbls) + V_{wat}(bbls) + V_{inf}(bbls) + V_{pool}$
(bbls) + V _{recj} (bbls) = 11.74+ MIL+ 15.72+1.89+1,300+
Estimated Reported Volume** V _{rep} (bbls)=
1329.34 2 1,330 BARRELS Estimated Reported Volume** V _{rep} (bbls)= 1,330 BARRELS

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 103794 JIV report S/N: 0177

Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site; Conversion of m^3 to barrels is Volume (m3) x 6.29; **Round up estimated volume to next whole number using the following rules:

- Any spill volume in excess of 1 bbl is rounded up to the next whole number.
- Any spill volume in less than I bbl is rounded up to the next 0.1 bbl.

Examples: Calculated volume = 15.3 bbl ------ Reported volume = 16 bbl

Calculated volume = 0.35 bbl ----- Reported volume = 0.4 bbl Calculated volume = 0.01 bbl ----- Reported volume = 0.1 bbl.

Wherever this estimation tool is not applicable please refer to paragraph 6c (Deviations) of the JIV procedure to use appropriate steps for column estimation; record the calculation in a plain sheet of paper and attach to the JIV report.

26. GENERAL STATUS OF THE SITE

- A. Joint investigation of the incident site found that there is no residual impact after the initial response and therefore recommend that the site be closed out
- B. Investigation of the incident site showed that there is residual impact on site requiring further works

27. REPRESENTATIVES

This report was filled, agreed and signed on the $\frac{29}{10/2013}$ by joint investigation representatives from

- Host Community: □
- Department of Petroleum Resources [DPR]:
- National Oil Spill Detection and Response Agency [NOSDRA]:
- State Ministry of Environment [SME]: □
- Nigeria Police Force [NPF]:
- Shell Petroleum Development Company [SPDC]:
- Signatories agree with reported findings: S
- Separate DPR form has been filled out with same findings

Tick as applicable

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 103 7941 JIV report S/N:

28. Appendix 1: Overview sketch of the site

