JOINT INVE	STIGATION REPORT FOR IN	CIDENT NO: 116	782 JIV report S/N:	0402
(Note: A	s practicable as possible the JIT	report is to be signed in th	e field by all the participating	parties)
A. GEN	IERAL INFORMATION:			
1. Spill	incident Number:6	82 2.Type	of incident* DIL SP	11.L_
3. Name	of Location 28" N	CPOKU - BI	MU PIPELI	NE_
4. Name	of nearest community AL	5. State: R	VERS 6. LGA EL	EME
	of Production facility/Installation	_		
B. INC	DENT INFORMATION:			
a. b. c.	Is of incident Date of incident: Start date/time of investigation: Investigation End date: Description of spill point environ Firmed soil	FEBRUARY ITH FEBR FEBRUARY Actual invented 2014 Loose soil	2014 UARY 2014 / 14 estigation duration, days: 01	- •
	Under water Well Platform (on Water) Description of leak point (tick as Drilled hole Complete Rupture Failed Weld-on illegal hot tap vate oil theft (illegal bunker) Third party tampering with vate of Corrosion Bulging Outward equipment impact Relief valve failure	Hack saw cut Inward dent, live, Failed Clamp ring) point, alve setting, Saver-pit over flow,	Exposed pipe surface Drill Rig Tear (Well head tampering Missing Pipeline/Flow Third party tampering Surge vessel overflow, wall failure Accidental Com unit failure	with Clamp with flange,
₽	Incident caused by: Third party interference (Sabotage Doperational Others	e口; crude theft[]; Line th (including Mystery spills)		mage□)
g.	Spill point coordinates Measuring unit Northing:	MINT	MID BELT Easting: (M)	
North Control of the	89347		515900	24

^{*}This can be: a) Oil Spill b) Drilling fluid/Chemical c) Siltation d) construction e) Encroachment f) Fire,

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 106782 JIV report S/N: 0402

C.	RISK ASSESS	SMENT					
	10. Т	Type of environment:					
	Land	□Swamp	□Water	□Sea	sonal swamp 🗖 Si	oreline/Wate	erfront
	i. Ty	ype of environment to	which oil has	spread:			
	Land	Swamp	Water	□Riv	er (identify)		
	ii. W	eather condition					
	☐Rain 11. Distance fr	Sunny om the nearest sensitiv	□Dry e habitat	□wet	□Windy	□Hot	□cool
	Drinki Drinki Built u Farmla Fish Fi Drinki Others	ands arm/Pond g net s (specify).	TREES		[m, m] [m, m] [m, m] [m, m] [m, m] [m, m]	·	
	Booms	nt measures put in place Trench NONE OB S	Dyke		niral depression TIME OF	□Pit INVES	TIGA TION,
	13. Any picture	es or video coverage?	`.`		[И]		
	14. Was there	any disruption to the in	vestigation?		[Y] [Y]	•	
lf y	es give brief des	cription:					
	N	TC	AF	PL	.1CA	BL	E
D,	TYPE/NUMBE	RS OF PROPERTIE	S, IF ANY, F	OUND WIT	HIN THE AREA	OF SPREA	D OF OIL
	15. Structures	/ Properties					

S/N	Type of Structures	Description	Size	Number	Comments
	ONE	WiT	HIN	AREA (OF IMPACT
				, i	

16. Crops/Economic Trees

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 116782 JIV report S/N: 0402

S/N	Type of crops	Young	Medium	Matured	Quantity	Comments
	ONE	WIT	HIN	AREA	OF II	MPACT

17. Fish/Nets/Ponds

CALCULATION


S/N Fish/Nets/Ponds	Description	Quantity/Size	Comments
NONE W	17HM A	REA O	MPACT

18. Others (Specify) i.e. Animal Traps

S/N Others	Description	Quantity/Size Comments	
1	141-		
NONE	-VVI I HIN +	TREA OF IMPACT	

E. GRAPHIC DESCRIPTION OF LEAK POINT (while detail report of the leak point should be contained in the leak report, overview sketch of the site should be added as an appendix 1)

28" NKPOKU - BOMU PIPELINE SHOWING POSITIONS OF



To BOMY

FROM NKPOKU

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 116782 JIV report S/N: 0402

19. Impacted area boundary Coordinates (If more, Print and attach as an appendix)

	Northing (m)	A - MUD BELL
S/N	Northing (m)	Easting (M)
1 _	89344.98	515899.84
}	89346 83	515897·19 515890·58
3	89337-63	515890 58
4	89341.97	515887.53
-		
		<u> </u>
	1	

G. INCIDENT INFORMATION:

20. Impacted Area Details

•	Total calculated area of impact_	0.005Ha	
•	Impact within SPDC R.O.W	YES_	
•	Impact outside SPDC R.O.W	NO	

21. Volume of oil recovered before completion of JIV (V_{recI}):

		Recovered oil V _{reci} :	NIL	Barrels
22. Co	moutatio	n of estimated residual volume on site		
	mputation	of estimated volume of pool of free phase oil (on Area (m²) occupied by pool of free phase oil	land or confined water be	ody). –
	ii.	Average Depth (m) of pool of free phase oil	100.0	_
	iii.	Emulsification factor:		
· . —	iv.	Estimated Volume of pool of free phase of		barrels
IL THOUGH		V _{pool} :	0.2	
OIL	mputation	of estimated volume of infiltrated oil in the soil (nated Volume of infiltrated oil at spill point (Vinfa	-	•
THEFT	i.	Area* (m²) of soil covered by the oil:	Ao_{\wedge} .	_
POINTS		Average Depth (m) above leaking facility i.e. pipe	eline/flowline: LC	tbre
WERE	iii.	_ · · · · · · _ · · · · · · · · · · · ·	rosity of the soil).	
OBSERVED		THIRD PARTY	BONNY MED	
	nei:	Oil Posidones time on site days		,
ION-LEAK!	NG viii.	Average depth of infiltration below leaking facility	v i.e. pipeline/flov &: P	110.
AS AT TIN	۱٤ _{ix.}	Estimated depth of infiltration around spill point:	Not	——————————————————————————————————————
NVESTIGA	Tiant.	Estimated Volume of infiltrated oil at spill po	oint. Viar a:	barrels
SPILL ESTI	MATE	ated Volume of infiltrated oil at second spill point	tifandiable (Vieth)	<u> </u>
NAS BASE			t (it sphicaoie) (viii o)	
N THE	i.	Area* (m²) of soil covered by the oil:		1 [
MPACT	ii.	Average Depth (m) above eaking facility i.e. pipe		
	>N ^{ii.}	Soil type:iv. Pe (effective por	110	
ITE DURI	NČ	Cause of spill vi. Oil type:	2011	
Jiv,	vii.	Oil Residence time of site, day:	Ι,	
HCLUDING	viii.	Average depth of infiltration below leaking facilit	y i.e. pipeline/flowline:_	
SLIGHT	ix.	Estimated depth of infiltration around spill point:		
ISCHARGE	165, K	stimated Volume of infiltrated cil'at spill boint. V	₩ Nu	barrels
FROM THE	3. E		· · · · · · · · · · · · · · · · · · ·	······································
OINTS ON	stima	ted Volume of infiltrated oil outside immediate sp	ill point(s) region (Vinf c)
XPOSURE.	i.	Area (m2) of soil covered by the oil:	13	
REPAIR WA	S ^{ii.}	Area (m2) of the pool of free phase oil in touch wi	ith soil: NAL	
TEMPORARI	LY ^{iii.}	Average Depth (m) below ground surface of infile	ration of oil:	25_
ONE BY	iv.	Soil type:		
LUGGING	v.	P _c (effective porosity of the soil)		
HE CRUDE	THEF	vi. Estimated Volume of infiltrated oil. At	V _{inf} : 0.0	q barre
	r ME∤~ ES			 !
AND 23. Co	mputatio	n of estimated volume of oil on open water ba	sed on standard colora	tion.
,	I Otal alca	of oil on open water: THE VALVE HANNES		

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 1116782 JIV report S/N: 0402

ii. Table of average depth of oil on water based on coloration (

**Spill Factors from USCG FOG (2000 Edition)

	Thickness (mm)	Percentage coverage	Volume (m3)
Barely Visible	0.00004	L .	
Silvery	0.00008	1	
Slight Color	0.00015	VIU I	
Bright Color	0.0003	140	DIF
Dull	0.001		V HDD
Dark	0.002	- 201	1011
Black oil	0.1	NOV	7
Emulsion (30% Oil)	1	N.	

Percent Total 100%

Estimated Volume of oil on open water. Vwat:

Barrels

24. Calculation of evaporated volume:

- i. Estimated Volume available for evaporation within surface area: D.3 BARREL
- ii. E-Factor: 15%

iii. Estimated Volume of evaporated oil. V_{evap}: 0.05 Barrels

Evaporation Factors (E-Factor) for SPDC Crude oil						
Oil Type Days on site Bonny Light Bonny Medium						
Oil Residence time	< 1 day	10%	5%			
	I-7 days	25%	15%			
	> 7 days	40%	25%			

25. Net Estimated Spilled Volume
$$V_{\text{Est}}(\text{bbls}) = V_{\text{evap}}(\text{bbls}) + V_{\text{wat}}(\text{bbls}) + V_{\text{inf}}(\text{bbls}) + V_{\text{post}}(\text{bbls}) + V_{\text{rec}}(\text{bbls}) + V_{\text{rec$$

Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site; Conversion of m^3 to barrels is Volume (m3) x 6.29; **Round up estimated volume to next whole number using the following rules:

- Any spill volume in excess of | I bbl | is rounded up to the next whole number.
- Any spill volume in less than 1 bbl is rounded up to the next 0.1 bbl.

Examples: Calculated volume = 15.3 bbl ------ Reported volume = 16 bbl Calculated volume = 0.35 bbl ------ Reported volume = 0.4 bbl Calculated volume = 0.01 bbl ------ Reported volume = 0.1 bbl.

Wherever this estimation tool is not applicable please refer to paragraph 6c (Deviations) of the JIV procedure to use appropriate steps for column estimation; record the calculation in a plain sheet of paper and attach to the JIV report.

26. GENERAL STATUS OF THE SITE

A. Joint investigation of the incident site found that there is no residual impact after the initial response and therefore recommend that the site be closed out

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 116782 JIV report S/N: 0402

B. Investigation of the incident site showed that there is residual impact on site requiring further works

27. REPRESENTATIVES

This report was filled, agreed and signed on the 11/02/2014 by joint investigation representatives from

- Host Community:
- Department of Petroleum Resources [DPR]:
- National Oil Spill Detection and Response Agency [NOSDRA]: 5
- State Ministry of Environment [SME]:
- Nigeria Police Force [NPF]:
- Shell Petroleum Development Company [SPDC]:
- Signatories agree with reported findings:
- Separate DPR form has been filled out with same findings

Tick as applicable

28. Appendix 1: Overview sketch of the site

Location: 28"	NKPOKU -	BOMU	PIPELINE	AT ALETO
	·			
			·	
				·

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 116782 JIV report S/N: 0402

