

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0223 811617

(Note: As practicable as possible the JIT report is to be signed in the field by all the participating parties)

A. GENERAL INFORMATION:

1. Spill incident Number: 811617 2. Type of incident * OIL SPILL
 3. Name of Location 28" BOMU-BONNY PIPELINE
 4. Name of nearest community K-DERE 5. State: RIVERS 6. LGA GOKANA
 7. Type of Production facility/Installation OIL PIPELINE 8. Asset owner/ District NESP/PH2

B. INCIDENT INFORMATION:

9. Details of incident

- a. Date of incident: 7TH MAY 2012
 b. Start date/time of investigation: 9TH MAY 2012 : 11:45 HOURS
 c. Investigation End date: 9TH MAY 2012
 d. Description of spill point environment
 Firmed soil Loose soil Previously excavated area
 Under water Swampy Exposed pipe surface
 Well Platform (on Water) Rig
 e. Description of leak point (tick as applicable);
 Drilled hole Hack saw cut Explosive tear,
 Complete Rupture Inward dent, Well head tampering
 Failed Weld-on illegal hot tap valve, Missing Pipeline/Flowline)
 Crude oil theft (illegal) bunkering) point, Third party tampering with Clamp
 Third party tampering with valve setting, Third party tampering with flange,
 Corrosion Saver-pit over flow, Surge vessel overflow
 Outward dent Flare System/Bund wall failure
 Valve Failure com unit failure Cold vent
 Relief valve failure Others (specify) _____

f. Incident caused by:

- Third party interference Operational Mystery _____

g. Spill point coordinates

Measuring unit		<u>MINNA MID BELT</u>	
Northing:	<u>73053.17m</u>	Easting:	<u>534930.92m</u>

*This can be a) Oil spill b) Drilling fluid/Chemical c) siltation d) construction e) Encroachment f) Fire,

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0223 811617

C. RISK ASSESSMENT

10. Type of environment:

- Land Swamp Water Seasonal swamp

i. Type of environment to which oil has spread:

- Land Swamp Water River (identify) _____

ii. Weather condition

- Raining Sunny

11. Distance from the nearest sensitive habitat

- Government reserved and designated protected area [Nil ,m]
- Drinking water source [Nil ,m]
- Built up area [Nil ,m]
- Farmlands [Nil ,m]
- Fish Farm/Pond [Nil ,m]
- Fishing net [Nil ,m]
- Others (specify). [Nil ,m]

12. Containment measures put in place;

- Booms Trench Dyke

Others: _____

13. Any pictures or video coverage? [N]

14. Was there any disruption to the investigation? [Y]

If yes give brief description:

NOT APPLICABLE

D. TYPE/NUMBERS OF PROPERTIES, IF ANY, FOUND WITHIN THE AREA OF SPREAD OF OIL

15. Structures / Properties

S/N	Type of Structures	Description	Size	Number	Comments
	<u>NONE WITHIN AREA OF IMPACT</u>				

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0223 811617

16. Crops/Economic Trees

S/N	Type of crops	Young	Medium	Matured	Quantity	Comments
	CORN	✓			FEN	ON THE RIGHT OF WAY

17. Fish/Nets/Ponds


S/N	Fish/Nets/Ponds	Description	Quantity/Size	Comments
		NONE WITHIN AREA OF IMPACT		

18. Others (Specify) i.e. Animal Traps

S/N	Others	Description	Quantity/Size	Comments
		NONE WITHIN AREA OF IMPACT		

E. GRAPHIC DESCRIPTION OF LEAK POINT While detail report of the leak point should be contained in the Leak report, overview sketch of the site should be added as an appendix 1)

A SECTION OF 28" BOMU-BONNY PIPELINE AT K-DERE SHOWING CORROSION AT 6 O'CLOCK POSITION



THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0223 811617

F: TABLE SHOWING SOME OF COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

19. Impacted area boundary Coordinates (If more than 12 points, Attach as an appendix 2)

MINNA MID BELT

S/N	Northing	Easting
1.	72964.81m	534957.83m
2.	72967.47m	534955.76m
3.	72979.39m	534964.70m
4.	73010.16m	534933.93m
5.	73022.47m	534921.62m
6.	73025.54m	534921.63m
7.	73028.63m	534915.47m
8.	73056.25m	534924.76m
9.	73053.17m	534934.00m
10.	73022.64m	534922.70m
11.	72979.38m	534970.86m
12.	72967.12m	534958.51m
13.	72967.12m	534961.59m

G. INCIDENT INFORMATION:

20. Impacted Area Details

- Total calculated area of impact 0.09Ha
- Impact within SPDC R.O.W YES
- Impact outside R.O.W YES

21. Volume of oil recovered before completion of JIV (V_{rec}):

Recovered oil V_{rec}	<u>NIL</u>	barrels
-------------------------	------------	---------

20. Computation of the residual volume on site

- a. Computation of volume of pool of free phase oil (on land or confined water body).
- Area (m^2) occupied by pool of free phase oil 16m²
 - Average Depth (m) of pool of free phase oil 0.03m

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0223 8/16A

iii. Emulsification factor: NIL

iv.

Volume of pool of free phase oil, V_{pool} :	3.02	barrels
--	------	---------

b. Computation of volume of infiltrated oil in the soil (V_{inf}).

- i Area *(m²) covered by the oil: 884 m²
- ii Area of the pool of free phase oil in touch with soil: 16 m²
- iii Average Depth (m) below ground surface of infiltration of oil: 0.004 m
- iv Soil type: SAND MEDIUM
- v P_c (effective porosity of the soil): 20%

iv.

Volume of infiltrated oil, V_{inf}	4.53	barrels
--------------------------------------	------	---------

21. Computation of volume of oil on open water based on standard coloration.

- i. Total area of oil on open water: NIL
- ii. Table of average depth of oil on water based on coloration**

	Thickness (mm)	Percentage coverage	Volume (m3)
Barely Visible	0.00004	NOT APPLICABLE	
Silvery	0.00008		
Slight Color	0.00015		
Bright Color	0.0003		
Dull	0.001		
Dark	0.002		
Black oil	0.1		
Emulsion (30% Oil)	1		
Percent Total		100%	Total Volume <u>NIL</u> bbl

iii.

Volume of oil on open water, V_{wat} :	NIL	barrels
--	-----	---------

22. Calculation of evaporated volume:

- i. Oil type: BONNY LIGHT
- ii. E-Factor: 25%

iii.

Volume of evaporated oil, V_{evap} :	20.52 ^{delta} 2.52	barrels
--	--	---------

Evaporation Factors (E-Factor) for SPDC Crude oil			
Oil Type	Days on site	Bonny Light	Bonny Medium
Period Since Oil Spill	< 1 day	10%	5%
	1-7 days	25% ✓	15%
	> 7 days	40%	25%

*If area is not same as the total area of impact, please indicate in the overview sketch
 ** Spill Factor from USCG FOG (2000 Edition)

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 0223 811617

23. Gross Total Estimated Spilled Volume

$$V_{Est}(bbls) = V_{evap}(bbls) + V_{wat}(bbls) + V_{inf}(bbls) + V_{pool}(bbls) + V_{recj}(bbls)$$

$$V_{Est}(bbls) = 2.52 + null + 4.53 + 3.02 + null = 10.07 \text{ BARREL}$$

24. Net Total Estimated Spilled Volume

$$V_{Est}(bbls) = V_{evap}(bbls) + 0.6 * V_{wat}(bbls) + V_{inf}(bbls) + V_{pool}(bbls) + V_{recj}(bbls)$$

$$V_{Est}(bbls) = 2.52 + null + 4.53 + 3.02 + null = 10.07 \text{ BARREL}$$

*Calculation of the respective estimated volume is to be done on site as far as practicable using the new spill volume estimation software on site

*Conversion of m3 to barrels is Total volume VT (m3) x 6.29

*Emulsification factor for spill on water to consider is 60% of volume of oil.

25. GENERAL STATUS OF THE SITE

A. Joint investigation of the incident site found that there is no residual impact after the initial response and therefore recommend that the site be closed out

B. Investigation of the incident site showed that there is residual impact on site requiring further works

26 REPRESENTATIVES

This report was filled and signed on the 09/05/2012 at incident site by joint investigation representatives from


- Host Community
- Department of Petroleum Resources [DPR]:
- National Oil Spill Detection and Response Agency [NOSDRA]:
- State Ministry of Environment [SME]:
- Nigeria Police Force [NPF]:
- Shell Petroleum Development Company [SPDC]:

Tick as applicable

THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO: 817817

27. Appendix 1: Overview sketch of the site



THE SHELL PETROLEUM DEVELOPMENT COMPANY OF NIGERIA LIMITED

JOINT INVESTIGATION REPORT FOR INCIDENT NO:

0223811617

21. Appendix 2: TABLE SHOWING ADDITIONAL COORDINATES TAKEN DURING JIV FOR AREA CALCULATION

MINNA MID BELT

S/N	Northing	Easting
14.	72945.64m	534943.06m
15.	72939.50m	534943.05m
16.	72908.77m	534952.24m
17.	72899.57m	534939.90m
18.	72871.91m	534952.18m
19.	72868.84m	534949.09m
20.	72844.26m	534955.21m
21.	72831.97m	534955.19m
22.	72868.85m	534946.01m
23.	72874.99m	534946.02m
24.	72884.22m	534939.87m
25.	72898.69m	534936.87m
26.	72902.65m	534939.91m
27.	72909.61m	534951.04m
28.	72946.21m	534939.23m
	<i>[Signature]</i>	
	09/05/2012	